

EU safety data sheet

Trade name: KRONES celerol L 7010

Current version : 1.0.5, issued: 10.05.2024

Replaced version: 1.0.4, issued: 26.03.2021

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

KRONES celerol L 7010

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Lubricant

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

KIC KRONES Internationale Cooperationsgesellschaft mbH
Böhmerwaldstraße 5
93073 Neutraubling

Telephone no. +49 9401 70-3020

e-mail kic@kic-krones.com

Advice on Safety Data Sheet

sdb_info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

In case of transport incidents and other emergencies:

+44 (0) 1235 239 670 (NCEC, National Chemical Emergency Centre)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification information

Classification and labelling with respect to Serious eye damage/eye irritation are based on toxicological studies performed on the product (mixture).

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

This product does not meet the classification criteria given in the Regulation (EC) No 1272/2008 (CLP).

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms

-

Signal word

-

Hazard statement(s)

-

Hazard statements (EU)

EUH208

Contains Sulfonic acids, petroleum, calcium salts, Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts.
May produce an allergic reaction.

EUH210

Safety data sheet available on request.

Precautionary statement(s)

EU safety data sheet

Trade name: KRONES celerol L 7010

Current version : 1.0.5, issued: 10.05.2024

Replaced version: 1.0.4, issued: 26.03.2021

Region: GB

Labelling information

The labelling (EU hazard statements) meets the criteria of annex II of Directive (EC) Nr. 1272/2008 (CLP).

2.3 Other hazards

PBT assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.

vPvB assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

No	Substance name	Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration %
1	Sulfonic acids, petroleum, calcium salts		
	61789-86-4 263-093-9 - 01-2119488992-18	Skin Sens. 1B; H317	>= 5.00 - < 10.00 wt%
2	Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts		
	68584-23-6 271-529-4 - 01-2119492627-25	Skin Sens. 1B; H317	>= 5.00 - < 10.00 wt%
3	Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts		
	70024-69-0 274-263-7 - 01-2119492616-28	Skin Sens. 1B; H317	>= 5.00 - < 10.00 wt%
4	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene		
	68411-46-1 270-128-1 - -	Aquatic Chronic 3; H412	< 2.50 wt%
5	Calcium-dodecylbenzenesulphonate		
	26264-06-2 247-557-8 - -	Eye Dam. 1; H318 Skin Irrit. 2; H315	< 2.50 wt%

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	-	Skin Sens. 1B; H317: C >= 10%	-	-
2	-	Skin Sens. 1B; H317: C >= 10%	-	-
3	-	Skin Sens. 1B; H317: C >= 10%	-	-

Acute toxicity estimate (ATE) values

No	oral	dermal	inhalative
1			2 mg/l
2			2 mg/l

EU safety data sheet

Trade name: KRONES celerol L 7010

Current version : 1.0.5, issued: 10.05.2024

Replaced version: 1.0.4, issued: 26.03.2021

Region: GB

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. In case of persisting adverse effects, consult a physician.

After inhalation

Ensure supply of fresh air. In case of persisting adverse effects consult a physician.

After skin contact

When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get medical attention if pain still persists.

After ingestion

Rinse the mouth thoroughly with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Seek medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms

Eye irritation; Skin irritation

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide; Extinguishing powder; Water mist; Fight large fires with directed water spray or Alcohol-resistant foam

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Toxic gases/vapours

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Containers close to fire should be transferred to a safe place. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8.

For emergency responders

Personal protective equipment (PPE) - see section 8.

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Collect mechanically. When collected, handle material as described under the section heading "Disposal considerations". Avoid raising dust.

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

EU safety data sheet

Trade name: KRONES celerol L 7010

Current version : 1.0.5, issued: 10.05.2024

Replaced version: 1.0.4, issued: 26.03.2021

Region: GB

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances. Provide good ventilation at the work area (local exhaust ventilation, if necessary). Observe the usual precautions for handling chemicals.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale dust. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

Incompatible products

Substances to be avoided, see section 10.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

DNEL, DMEL and PNEC values

DNEL values (worker)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	Sulfonic acids, petroleum, calcium salts			61789-86-4 263-093-9	
	dermal	Long term (chronic)	systemic	3.33	mg/kg bw/day
	dermal	Long term (chronic)	local	1.03	mg/cm ²
	inhalative	Long term (chronic)	systemic	11.75	mg/m ³
2	Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts			68584-23-6 271-529-4	
	dermal	Long term (chronic)	systemic	3.33	mg/kg bw/day
	dermal	Long term (chronic)	local	1.03	mg/cm ²
	inhalative	Long term (chronic)	systemic	11.75	mg/m ³
3	Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts			70024-69-0 274-263-7	
	dermal	Long term (chronic)	systemic	3.33	mg/kg/day
	dermal	Long term (chronic)	local	1.03	mg/cm ²
	inhalative	Long term (chronic)	systemic	11.75	mg/m ³

DNEL value (consumer)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	Sulfonic acids, petroleum, calcium salts			61789-86-4 263-093-9	
	oral	Long term (chronic)	systemic	0.833	mg/kg bw/day
	dermal	Long term (chronic)	systemic	1.667	mg/kg bw/day
	dermal	Long term (chronic)	local	0.513	mg/cm ²
	inhalative	Long term (chronic)	systemic	2.90	mg/m ³
2	Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts			68584-23-6 271-529-4	

EU safety data sheet

Trade name: KRONES celerol L 7010

Current version : 1.0.5, issued: 10.05.2024

Replaced version: 1.0.4, issued: 26.03.2021

Region: GB

	oral	Long term (chronic)	systemic	0.833	mg/kg bw/day
	dermal	Long term (chronic)	systemic	1.667	mg/kg bw/day
	dermal	Long term (chronic)	local	0.513	mg/cm ²
	inhalative	Long term (chronic)	systemic	2.9	mg/m ³
3	Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts			70024-69-0 274-263-7	
	oral	Long term (chronic)	systemic	0.833	mg/kg/day
	dermal	Long term (chronic)	systemic	1.667	mg/kg/day
	dermal	Long term (chronic)	local	0.513	mg/cm ²
	inhalative	Long term (chronic)	systemic	2.9	mg/m ³

PNEC values

No	Substance name		CAS / EC no
	ecological compartment	Type	Value
1	Sulfonic acids, petroleum, calcium salts		61789-86-4 263-093-9
	water	fresh water	1.00 mg/L
	water	marine water	1.00 mg/L
	water	fresh water sediment	226000000 mg/kg
	with reference to: dry weight		
	water	marine water sediment	226000000 mg/kg
	with reference to: dry weight		
	soil	-	271000000 mg/kg
	with reference to: dry weight		
	sewage treatment plant	-	1000.00 mg/L
	secondary poisoning	-	16.667 mg/kg
	with reference to: food		
2	Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts		68584-23-6 271-529-4
	water	fresh water	1 mg/L
	water	marine water	1 mg/L
	water	fresh water sediment	226000 g/kg
	with reference to: dry weight		
	water	marine water sediment	226000 g/kg
	with reference to: dry weight		
	soil	-	271000 g/kg
	with reference to: dry weight		
	sewage treatment plant	-	1000 mg/L
	secondary poisoning	-	16.667 mg/kg food
3	Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts		70024-69-0 274-263-7
	water	fresh water	1 mg/L
	water	marine water	1 mg/L
	water	Aqua intermittent	10 mg/L
	water	fresh water sediment	226000 g/kg
	water	marine water sediment	226000 g/kg
	soil	-	271000 g/kg
	sewage treatment plant	-	1000 mg/L
	secondary poisoning	-	16.667 mg/kg food

8.2 Exposure controls

Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of dust formation, take appropriate measures for breathing protection in the event that workplace threshold values are not specified.

EU safety data sheet

Trade name: KRONES celerol L 7010

Current version : 1.0.5, issued: 10.05.2024

Replaced version: 1.0.4, issued: 26.03.2021

Region: GB

Eye / face protection

Safety glasses with side protection shield (EN 166)

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material	Nitrile butyl rubber		
Material thickness	>=	0.38	
Breakthrough time	>=	480	min

Other

Chemical-resistant work clothes.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation	
solid	
Form	
solid; paste	
Colour	
yellow	
Odour	
mild	
pH value	
Comments	Substance/mixture not soluble (in water)
Boiling point / boiling range	
No data available	
Melting point/freezing point	
No data available	
Decomposition temperature	
No data available	
Flash point	
Value	> 180 °C
Method	DIN 51755
Ignition temperature	
No data available	
Flammability	
No data available	
Lower explosion limit	
No data available	
Upper explosion limit	
No data available	
Vapour pressure	
No data available	
Relative vapour density	
No data available	

EU safety data sheet

Trade name: KRONES celerol L 7010

Current version : 1.0.5, issued: 10.05.2024

Replaced version: 1.0.4, issued: 26.03.2021

Region: GB

Relative density			
No data available			
Density			
Value	0.95	- 1.05	g/cm ³
Reference temperature		25	°C
Solubility in water			
Comments	essentially insoluble		
Solubility			
No data available			
Partition coefficient n-octanol/water (log value)			
No	Substance name	CAS no.	EC no.
1	Sulfonic acids, petroleum, calcium salts	61789-86-4	263-093-9
	log Pow	22.12	
	Reference temperature	25	°C
	Method	OECD 107	
	Source	ECHA	
2	Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	68584-23-6	271-529-4
	log Pow	>	4.46
	Reference temperature	20	°C
	Method	OECD 107	
	Source	ECHA	
3	Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	70024-69-0	274-263-7
	log Pow	>	4.46
	Reference temperature	20	°C
	Method	OECD 107	
	Source	ECHA	
Kinematic viscosity			
No data available			
Particle characteristics			
No data available			

9.2 Other information

Other information
NLGI: 2

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable at ambient temperature.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

10.4 Conditions to avoid

No data available.

10.5 Incompatible materials

strong oxidizing agents; strong acids; strong bases

10.6 Hazardous decomposition products

No data available.

SECTION 11: Toxicological information

EU safety data sheet

Trade name: KRONES celerol L 7010

Current version : 1.0.5, issued: 10.05.2024

Replaced version: 1.0.4, issued: 26.03.2021

Region: GB

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity			
No	Substance name	CAS no.	EC no.
1	Sulfonic acids, petroleum, calcium salts	61789-86-4	263-093-9
LD50	>	5000	mg/kg bodyweight
Species	rat		
Method	OECD 401		
Source	ECHA		
2	Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	68584-23-6	271-529-4
LD50	>	5000	mg/kg bodyweight
Species	rat		
Method	OECD 401		
Source	ECHA		

Acute dermal toxicity			
No	Substance name	CAS no.	EC no.
1	Sulfonic acids, petroleum, calcium salts	61789-86-4	263-093-9
LD50	>	5000	mg/kg bodyweight
Species	rabbit		
Method	OECD 402		
Source	ECHA		
2	Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	68584-23-6	271-529-4
LD50	>	5000	mg/kg bodyweight
Species	rabbit		
Method	OECD 402		
Source	ECHA		

Acute inhalational toxicity			
No	Substance name	CAS no.	EC no.
1	Sulfonic acids, petroleum, calcium salts	61789-86-4	263-093-9
LC50	>	1.9	mg/l
Duration of exposure		4	h
State of aggregation	Dust/mist		
Species	rat		
Method	EPA OPP 81-3		
Source	ECHA		
2	Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	68584-23-6	271-529-4
LC50	>	1.9	mg/l
Duration of exposure		4	h
State of aggregation	Dust/mist		
Species	rat		
Method	OECD 403		
Source	ECHA		

Skin corrosion/irritation			
No	Substance name	CAS no.	EC no.
1	Sulfonic acids, petroleum, calcium salts	61789-86-4	263-093-9
Species	rabbit		
Method	EPA OPPTS 870.2500		
Source	ECHA		
Evaluation	non-irritant		
2	Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	68584-23-6	271-529-4
Species	rabbit		
Method	EPA 870-2500		
Source	ECHA		
Evaluation	non-irritant		
3	Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	70024-69-0	274-263-7

EU safety data sheet

Trade name: KRONES celerol L 7010

Current version : 1.0.5, issued: 10.05.2024

Replaced version: 1.0.4, issued: 26.03.2021

Region: GB

Species	rabbit
Method	EPA OPPTS 870.2500
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.

Serious eye damage/irritation

No	Product Name	Evaluation
1	KRONES celerol L 7010	non-irritant
		Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

No	Substance name	CAS no.	EC no.
1	Sulfonic acids, petroleum, calcium salts	61789-86-4	263-093-9
Route of exposure		Skin	
Species	guinea pig		
Method	Buehler		
Source	ECHA		
Evaluation	sensitizing		
2	Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	68584-23-6	271-529-4
Route of exposure		Skin	
Species	guinea pig		
Method	Buehler		
Source	ECHA		
Evaluation	sensitizing		
3	Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	70024-69-0	274-263-7
Route of exposure		Skin	
Species	guinea pig		
Method	Buehler		
Source	ECHA		
Evaluation	sensitizing		

Germ cell mutagenicity

No	Substance name	CAS no.	EC no.
1	Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	70024-69-0	274-263-7
Species	Salmonella typhimurium: TA 1535, TA 1537, TA 98, TA 100; Escherichia coli WP2 uvrA		
Method	OECD 471		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
Species	mouse		
Method	OECD 474		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Reproduction toxicity

No	Substance name	CAS no.	EC no.
1	Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	70024-69-0	274-263-7
Species	rat		
Method	OECD 415		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Carcinogenicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

EU safety data sheet

Trade name: KRONES celerol L 7010

Current version : 1.0.5, issued: 10.05.2024

Replaced version: 1.0.4, issued: 26.03.2021

Region: GB

No	Substance name	CAS no.	EC no.
1	Sulfonic acids, petroleum, calcium salts	61789-86-4	263-093-9
Route of exposure		oral	
Species		rat	
Method		OECD 407	
Source		ECHA	
Evaluation/classification		On the basis of the available information, the classification criteria are not met.	
2	Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	68584-23-6	271-529-4
Route of exposure		oral	
Species		rat	
Method		OECD 407	
Source		ECHA	
Evaluation/classification		On the basis of the available information, the classification criteria are not met.	
3	Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	70024-69-0	274-263-7
Route of exposure		oral	
Species		rat	
Method		OECD 407	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
Route of exposure		inhalational	
Species		rat	
Method		OECD 412	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
Route of exposure		dermal	
Method		OECD 410	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

Aspiration hazard

No data available

11.2 Information on other hazards

Endocrine disrupting properties

No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)			
No	Substance name	CAS no.	EC no.
1	Sulfonic acids, petroleum, calcium salts	61789-86-4	263-093-9
LL50		>	10000 mg/l
Duration of exposure		96	h
Species		Cyprinodon variegatus	
Method		OECD 203	
Source		ECHA	
2	Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	68584-23-6	271-529-4
LL50		>	10000 mg/l
Duration of exposure		96	h
Species		Cyprinodon variegatus	
Method		OECD 203	
Source		ECHA	

EU safety data sheet

Trade name: KRONES celerol L 7010

Current version : 1.0.5, issued: 10.05.2024

Replaced version: 1.0.4, issued: 26.03.2021

Region: GB

3	Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	70024-69-0	274-263-7
LL50	>	10000	mg/l
Duration of exposure		96	h
Species	Cyprinodon variegatus		
Method	OECD 203		
Source	ECHA		

Toxicity to fish (chronic)

No data available

Toxicity to Daphnia (acute)

No	Substance name	CAS no.	EC no.
1	Sulfonic acids, petroleum, calcium salts	61789-86-4	263-093-9
EC50	>	1000	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	EPA OTS 797.1300		
Source	ECHA		
2	Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	68584-23-6	271-529-4
EC50	>	1000	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	EPA OTS 797.1300		
Source	ECHA		
3	Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	70024-69-0	274-263-7
EC50	>	1000	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	EPA OTS 797.1300		
Source	ECHA		

Toxicity to Daphnia (chronic)

No data available

Toxicity to algae (acute)

No	Substance name	CAS no.	EC no.
1	Sulfonic acids, petroleum, calcium salts	61789-86-4	263-093-9
EC50	>	1000	mg/l
Duration of exposure		96	h
Species	Raphidocelis subcapitata		
Method	EPA OTS 797.1050		
Source	ECHA		
2	Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	68584-23-6	271-529-4
EC50	>	1000	mg/l
Duration of exposure		72	h
Species	Raphidocelis subcapitata		
Method	EPA OTS 797.1050		
Source	ECHA		
3	Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	70024-69-0	274-263-7
EC50	>	1000	mg/l
Duration of exposure		72	h
Species	Pseudokirchneriella subcapitata		
Method	EPA OTS 797.1050		
Source	ECHA		

Toxicity to algae (chronic)

No data available

Bacteria toxicity

EU safety data sheet

Trade name: KRONES celerol L 7010

Current version : 1.0.5, issued: 10.05.2024

Replaced version: 1.0.4, issued: 26.03.2021

Region: GB

No	Substance name	CAS no.	EC no.
1	Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	70024-69-0	274-263-7
EC50		>	10000
Species	activated sludge		
Method	OECD 209		
Source	ECHA		

12.2 Persistence and degradability

Biodegradability			
No	Substance name	CAS no.	EC no.
1	Sulfonic acids, petroleum, calcium salts	61789-86-4	263-093-9
Value		8	%
Duration		28	day(s)
Method	OECD 301 D		
Source	ECHA		
Evaluation	not readily biodegradable		
2	Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	68584-23-6	271-529-4
Value		8	%
Duration		28	day(s)
Method	OECD 301 D		
Source	ECHA		
Evaluation	not readily biodegradable		
3	Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	70024-69-0	274-263-7
Type	aerobic biodegradation		
Value		8	%
Duration		28	day(s)
Method	OECD 301 D		
Source	ECHA		
Evaluation	not readily biodegradable		

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log value)			
No	Substance name	CAS no.	EC no.
1	Sulfonic acids, petroleum, calcium salts	61789-86-4	263-093-9
log Pow		22.12	
Reference temperature		25	°C
Method	OECD 107		
Source	ECHA		
2	Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	68584-23-6	271-529-4
log Pow		>	4.46
Reference temperature		20	°C
Method	OECD 107		
Source	ECHA		
3	Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	70024-69-0	274-263-7
log Pow		>	4.46
Reference temperature		20	°C
Method	OECD 107		
Source	ECHA		

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
PBT assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.

EU safety data sheet

Trade name: KRONES celerol L 7010

Current version : 1.0.5, issued: 10.05.2024

Replaced version: 1.0.4, issued: 26.03.2021

Region: GB

vPvB assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility.

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 UN number or ID number

Not classified as dangerous in the meaning of transport regulations.

14.2 UN proper shipping name

Not classified as dangerous in the meaning of transport regulations.

14.3 Transport hazard class(es)

Not classified as dangerous in the meaning of transport regulations.

14.4 Packing group

Not classified as dangerous in the meaning of transport regulations.

14.5 Environmental hazards

Not classified as dangerous in the meaning of transport regulations.

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

EU safety data sheet

Trade name: KRONES celerol L 7010

Current version : 1.0.5, issued: 10.05.2024

Replaced version: 1.0.4, issued: 26.03.2021

Region: GB

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances subject to restriction as listed in Annex XVII of the REACH regulation (EC) 1907/2006.

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H412	Harmful to aquatic life with long lasting effects.

Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 760804