Trade name: KRONES celerol LC 7650

Current version: 1.0.1, issued: 24.03.2023 Replaced version: 1.0.0, issued: 23.03.2023 Region:

GER

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name

## **KRONES** celerol LC 7650

UFI:

XTFX-N0EW-Y00X-XP1T

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses of the substance or mixture

Lubricant

#### Uses advised against

No data available.

## 1.3 Details of the supplier of the safety data sheet

#### Address

KIC KRONES Internationale Cooperationsgesellschaft mbH

Böhmerwaldstraße 5 93073 Neutraubling

Telephone no. +49 9401 70-3020 e-mail kic@kic-krones.com

#### 1.4 Emergency telephone number

No data available.

#### **SECTION 2: Hazards identification**

#### .1 Classification of the substance or mixture

## Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Asp. Tox. 1; H304

#### Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

#### 2.2 Label elements

## Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

## Hazard pictograms



#### Signal word

Danger

## Hazardous component(s) to be indicated on label:

Hydrocarbons, C11-C13, isoalkanes, <2% aromatics Hydrocarbons, C11-C14, isoalkanes, <2% aromatics Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics

## Hazard statement(s)

H304 May be fatal if swallowed and enters airways.

#### Hazard statements (EU)

EUH066 Repeated exposure may cause skin dryness or cracking.

Trade name: KRONES celerol LC 7650

Current version: 1.0.1, issued: 24.03.2023 Replaced version: 1.0.0, issued: 23.03.2023 Region:

GER

Precautionary statement(s)

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P331 Do NOT induce vomiting.

P501 Dispose of contents/container to a facility in accordance with local and national

regulations.

UFI:

XTFX-N0EW-Y00X-XP1T

#### 2.3 Other hazards

No data available

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not applicable. The product is not a substance.

#### 3.2 Mixtures

**Hazardous ingredients** 

No	Substance name		Additi	onal information	1	
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Conce	entration		%
	REACH no					
1	Hydrocarbons, C11	-C13, isoalkanes, <2% aromatics				
	-	Asp. Tox. 1; H304	>=	25,00 - <	50,00	wt%
	920-901-0	EUH066				
	-					
	01-2119456810-40					
2	Hydrocarbons, C11	-C14, isoalkanes, <2% aromatics				
	-	Asp. Tox. 1; H304	>=	25,00 - <	50,00	wt%
	927-285-2	EUH066				
	-					
	01-2119480162-45					
3	Hydrocarbons, C11	-C12, isoalkanes, < 2% aromatics				
	-	Aquatic Chronic 4; H413	>=	10,00 - <	25,00	wt%
	918-167-1	Asp. Tox. 1; H304				
	-	EUH066				
	01-2119472146-39	Flam. Liq. 3; H226				

Full Text for all H-phrases and EUH-phrases: pls. see section 16

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

#### **General information**

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. In case of persisting adverse effects, consult a physician.

## After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. In case of persisting adverse effects consult a physician.

#### After skin contact

In case of contact with skin wash off with water. Consult a doctor if skin irritation persists.

#### After eve contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

#### After ingestion

Rinse the mouth thoroughly with water. Never give anything by mouth to an unconscious person. Do not induce vomiting - aspiration hazard. Call a doctor immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

## **Effects**

Trade name: KRONES celerol LC 7650

Current version: 1.0.1, issued: 24.03.2023 Replaced version: 1.0.0, issued: 23.03.2023 Region:

GER

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No data available.

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Carbon dioxide; Extinguishing powder; Water spray jet; Fight large fires with directed water spray or Alcohol-resistant foam

#### Unsuitable extinguishing media

High power water jet

#### 5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Toxic gases/vapours

#### 5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Containers close to fire should be transferred to a safe place.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Keep away from ignition sources. High risk of slipping due to leakage/spillage of product.

#### For emergency responders

Personal protective equipment (PPE) - see section 8.

#### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

#### 6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

#### 6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

#### Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances. Provide good ventilation at the work area (local exhaust ventilation, if necessary).

#### General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing.

#### Advice on protection against fire and explosion

Keep away from sources of ignition - refrain from smoking.

## 7.2 Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place.

Trade name: KRONES celerol LC 7650

Current version: 1.0.1, issued: 24.03.2023 Replaced version: 1.0.0, issued: 23.03.2023 Region:

GER

#### Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

## Incompatible products

Substances to be avoided, see section 10.

#### Stoarge Class according TRGS 510

10 Combustible liquids that cannot be assigned to any of the above storage classes

#### 7.3 Specific end use(s)

No data available.

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

#### Occupational exposure limit values

No	Substance name	CAS no.	EC no.		
1	Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics		918-167-1		
	TRGS 900 - RCP-Methode				
	Kohlenwasserstoffgemische, Verwendung als Lösemittel (Lösemittelkohlenwasserstoffe), additiv-frei				
	C9-C15 Aliphaten				
	WEL long-term (8-hr TWA reference period)	600 mg/m³			
	Ceiling Limit	2(II)			

### 8.2 Exposure controls

#### Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

## Personal protective equipment

## Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Respirator A/P2

#### Eye / face protection

Safety glasses with side protection shield (EN 166)

#### Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material NBR

Material thickness >= 0,38 mm
Breakthrough time >= 480 mm

#### Other

Chemical-resistant work clothes.

#### **Environmental exposure controls**

No data available.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

State of aggregation	
liquid	

Trade name: KRONES celerol LC 7650

Current version : 1.0.1, issued: 24.03.2023Replaced version: 1.0.0, issued: 23.03.2023Region: GER

F			
Form liquid			
Colour colourless			
Odour slight			
<u> </u>			
pH value  No data available			
Boiling point / boiling range			
No data available			
Melting point/freezing point			
No data available			
Decomposition temperature			
No data available			
Flash point			
Value Method	> DIN EN ISO 2719	60	°C
	DIN EN 130 27 19		
Ignition temperature Value		265	
Method	DIN 51794	203	C
Flammability	•		
No data available			
Lower explosion limit			
Value		0,6	% vol
Upper explosion limit			
Value		6,5	% vol
Vapour pressure			
No data available			
Relative vapour density			
No data available			
Relative density			
No data available			
<b>Density</b> Value		0.70	alom³
Reference temperature		0,78 15	g/cm³ °C
Method	DIN 51757		•
Solubility in water			
Comments	insoluble		
Solubility			
No data available			
Partition coefficient n-octanol/water (log value)	ue)		
No data available			
Kinematic viscosity		2.0	mm2/a
Value Reference temperature		3,8 20	mm²/s °C
Method	DIN 51562		
Particle characteristics			
No data available			

Trade name: KRONES celerol LC 7650

Current version: 1.0.1, issued: 24.03.2023 Replaced version: 1.0.0, issued: 23.03.2023 Region:

GER

## 9.2 Other information

Other information	
No data available.	

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

Stable at ambient temperature.

## 10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

#### 10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

## 10.4 Conditions to avoid

None, if handled according to intended use.

## 10.5 Incompatible materials

strong oxidizing agents; strong acids; strong bases

## 10.6 Hazardous decomposition products

None, if handled according to intended use.

## **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acu	Acute oral toxicity						
No	Substance name		CAS no.		EC no.		
1	Hydrocarbons, C11-C12, isoalkanes, < 2°	% aromatics	-		918-167-1		
LD5	0	>		5000	mg/kg bodyweight		
Spe	cies	rat					
Meth	nod	OECD 401					
Soul	rce	ECHA					

Acu	Acute dermal toxicity						
No	Substance name		CAS no.		EC no.		
1	Hydrocarbons, C11-C12, isoalkanes, < 29	% aromatics	-		918-167-1		
LD5	0	>		2000	mg/kg bodyweight		
Spec	cies	rat					
Meth	nod	OECD 402					
Soul	rce	ECHA					

# Acute inhalational toxicity No data available

Skin	Skin corrosion/irritation						
No	Substance name	CAS no.	EC no.				
1	Hydrocarbons, C11-C12, isoalkanes, < 29	% aromatics -	918-167-1				
Spec	cies	rabbit					
Meth	nod	OECD 404					
Sour	rce	ECHA					
Eval	uation	non-irritant					

Seri	Serious eye damage/irritation						
No	Substance name	CA	S no.	EC no.			
1	Hydrocarbons, C11-C12, isoalkanes, < 2	% aromatics -		918-167-1			
Spec	cies	rabbit					
Meth	nod	OECD 405					
Sour	ce	ECHA					
Eval	uation	non-irritant					

Trade name: KRONES celerol LC 7650

Current version: 1.0.1, issued: 24.03.2023 Replaced version: 1.0.0, issued: 23.03.2023 Region:

GER

Res	Respiratory or skin sensitisation						
No	Substance name	CAS no.	EC no.				
1	Hydrocarbons, C11-C12, isoalkanes, < 29	6 aromatics -	918-167-1				
Rou	te of exposure	Skin					
Spe	cies	guinea pig					
Meth	nod	OECD 406					
Soul	rce	ECHA					
Eval	uation	non-sensitizing					

Ger	Germ cell mutagenicity						
No	Substance name	CAS no.	EC no.				
1	Hydrocarbons, C11-C12, isoalkanes, < 29	% aromatics -	918-167-1				
Source		ECHA					
Evaluation/classification		Based on available data, the class	ification criteria are not met.				

Rep	Reproduction toxicity						
No	Substance name	CAS no.	EC no.				
1	Hydrocarbons, C11-C12, isoalkanes, < 29	% aromatics -	918-167-1				
Sour	rce	ECHA					
Evaluation/classification		Based on available data, the class	ssification criteria are not met.				

Card	inogenicity		
No	Substance name	CAS no.	EC no.
1	Hydrocarbons, C11-C12, isoalkanes, < 29	% aromatics -	918-167-1
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

STOT - single exposure	
No data available	

STOT - repeated exposure	
No data available	

Aspiration hazard	
No data available	

## 11.2 Information on other hazards

**Endocrine disrupting properties** 

No data available.

Other information

No data available.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Toxicity to fish (acute)
Toxicity to lish (acute)
No data available

# Toxicity to fish (chronic) No data available

Toxicity to Daphnia (acute)	
No data available	

Toxicity to Daphnia (	(chronic)
No data available	

oxicity to algae (acute)	
No data available	

Toxicity to algae (chronic)		
No data available		

## Bacteria toxicity

Trade name: KRONES celerol LC 7650

Current version: 1.0.1, issued: 24.03.2023 Replaced version: 1.0.0, issued: 23.03.2023 Region:

GER

No data available

#### 12.2 Persistence and degradability

No data available.

#### 12.3 Bioaccumulative potential

No data available.

#### 12.4 Mobility in soil

No data available.

#### 12.5 Results of PBT and vPvB assessment

No data available.

## 12.6 Endocrine disrupting properties

No data available.

#### 12.7 Other adverse effects

No data available.

### 12.8 Other information

#### Other information

Do not discharge product unmonitored into the environment.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

#### **Packaging**

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

## **SECTION 14: Transport information**

#### 14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

#### 14.2 Transport IMDG

The product is not subject to IMDG regulations.

## 14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

## 14.4 Other information

No data available.

#### 14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

#### 14.6 Special precautions for user

No data available.

## 14.7 Maritime transport in bulk according to IMO instruments

Not relevant

## **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Trade name: KRONES celerol LC 7650

Current version: 1.0.1, issued: 24.03.2023 Replaced version: 1.0.0, issued: 23.03.2023 Region:

GER

#### **EU regulations**

#### Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

#### REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

# Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII. No 3

## Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

#### Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

#### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

## **SECTION 16: Other information**

#### Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

# Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H226 Flammable liquid and vapour.

H413 May cause long lasting harmful effects to aquatic life.

### Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH. Prod-ID 793653