Current version : 2.1.1, issued: 27.07.2023

Replaced version: 2.1.0, issued: 02.02.2023

Region: GB

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name

# **KRONES** celerol LU 7608 (Lubricant)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture Lubricant Uses advised against

No data available.

# 1.3 Details of the supplier of the safety data sheet

### Address

KIC KRONES Internationale Cooperationsgesellschaft mbH Böhmerwaldstraße 5 93073 Neutraubling

Telephone no.+49 9401 70-3020e-mailkic@kic-krones.com

Advice on Safety Data Sheet sdb info@umco.de

# 1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord) In case of transport incidents and other emergencies: +44 (0) 1235 239 670 (NCEC, National Chemical Emergency Centre)

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

# **Classification information**

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC)  $n^{\circ}$  1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

This product does not meet the classification criteria given in the Regulation (EC) No 1272/2008 (CLP).

# 2.2 Label elements

# Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

# Hazard pictograms

Signal word

Hazard statement(s)

# Hazard statements (EU)

Safety data sheet available on request.

### Precautionary statement(s)

### Labelling information

The labelling (EU hazard statements) meets the criteria of annex II of Directive (EC) Nr. 1272/2008 (CLP).

# 2.3 Other hazards

EUH210

Current version : 2.1.1, issued: 27.07.2023

Replaced version: 2.1.0, issued: 02.02.2023

Region: GB

PBT assessment The product is not considered to be a PBT. vPvB assessment The product is not considered to be a vPvB.

# **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Not applicable. The product is not a substance.

### 3.2 Mixtures

#### Hazardous ingredients

No	Substance name		Additio	onal information	
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Concer	ntration	%
	REACH no				
1	disodium-sebacate				
	17265-14-4	Eye Irrit. 2; H319	<	5.00	wt%
	241-300-3				
	-				
	01-2120762063-61				

Full Text for all H-phrases and EUH-phrases: pls. see section 16

# **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

#### General information

Remove contaminated clothing and shoes and launder thoroughly before reusing. In case of persisting adverse effects, consult a physician.

### After inhalation

Ensure supply of fresh air. In case of persisting adverse effects consult a physician.

#### After skin contact

When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.

# After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

#### After ingestion

Rinse the mouth thoroughly with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. By continuous complaints consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

#### Symptoms

Nausea; diarrhea; dermatitis; Eye irritation

### **4.3 Indication of any immediate medical attention and special treatment needed** No data available.

# SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

# Suitable extinguishing media

Water mist; Alcohol-resistant foam; Dry chemical extinguisher; Carbon dioxide

### Unsuitable extinguishing media

High power water jet

#### 5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide and carbon dioxide; Metal oxides

#### 5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Drums can explode from steam pressure.

#### Current version : 2.1.1, issued: 27.07.2023

Replaced version: 2.1.0, issued: 02.02.2023

Region: GB

# **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

### For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Remove persons to safety. Avoid contact with skin, eyes and clothing. High risk of slipping due to leakage/spillage of product.

#### For emergency responders

Personal protective equipment (PPE) - see section 8.

#### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

#### 6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Stop leak if safe to do so.

#### 6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

#### Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances. Provide good ventilation at the work area (local exhaust ventilation, if necessary).

# General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Wash hands before breaks and after work. Do not inhale vapours.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place. Protect from heat and direct sunlight.

#### Requirements for storage rooms and vessels

Containers which are opened must be carefully resealed and kept upright to prevent leakage. Always keep in containers of same material as the original.

### Incompatible products

Substances to be avoided, see section 10.

#### 7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

# 8.1 Control parameters

# DNEL, DMEL and PNEC values

	DNEL values (worker)				
No	Substance name			CAS / EC	no
	Route of exposure	Exposure time	Effect	Value	
1	disodium-sebacate			17265-14	-4
				241-300-3	
	dermal	Long term (chronic)	systemic	10	mg/kg/day
	inhalative	Long term (chronic)	systemic	35.26	mg/m³

# DNEL value (consumer)

No	Substance name			CAS / EC no
	Route of exposure	Exposure time	Effect	Value

Current version : 2.1.1, issued: 27.07.2023

Replaced version: 2.1.0, issued: 02.02.2023

Region: GB

1	disodium-sebacate			17265-14 241-300-3	
	oral	Long term (chronic)	systemic	5	mg/kg/day
	dermal	Long term (chronic)	systemic	5	mg/kg/day
	inhalative	Long term (chronic)	systemic	8.7	mg/m³

# PNEC values

No	Substance name		CAS / EC	no
	ecological compartment	Туре	Value	
1	disodium-sebacate		17265-14-	-
			241-300-3	
	water	fresh water	0.018	mg/L
	water	marine water	0.002	mg/L
	water	fresh water sediment	0.548	mg/L
	water	marine water sediment	0.055	mg/L
	soil	-	0.099	mg/kg
	sewage treatment plant	-	10	mg/L

### 8.2 Exposure controls

#### Appropriate engineering controls

Ensure adequate ventilation, local exhaust at the work station if necessary.

#### Personal protective equipment

#### **Respiratory protection**

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Respirator

HEPA-Filter

# Eye / face protection

Safety glasses (EN 166)

#### Hand protection

In case of intensive contact, wear protective gloves (EN 374). Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves. Material thickness  $\geq = 0.35$  mm

Material thickness	>=	0.35	mm
Breakthrough time	>=	480	mm

### Other

Chemical-resistant work clothes.

#### Environmental exposure controls

No data available.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

State of aggregation
solid
Form
grease
Colour
cream colour
Odour
No data available
pH value
No data available
Boiling point / boiling range

Current version : 2.1.1, issued: 27.07.2023

Replaced version: 2.1.0, issued: 02.02.2023

Region: GB

No data available				
Melting point/freezing point				
No data available				
Decomposition temperature				
No data available				
Dropping point				
Value		230	°C	
Flash point				
Value	>	170	°C	
Method	Cleveland			
Ignition temperature				
No data available				
Flammability				
No data available				
Lower explosion limit				
No data available				
Upper explosion limit				
No data available				
Vapour pressure No data available				
Relative vapour density No data available				
			_	
Relative density No data available				
Density Value	<	1	g/cm <sup>3</sup>	
Reference temperature		25	°C	
Solubility				
No data available				
Partition coefficient n-octanol/water (log va	alue)			
No Substance name		CAS no.		EC no.
1 disodium-sebacate		17265-14-4		241-300-3
log Pow Reference temperature			-4.9 20	°C
with reference to	pH 7,8		20	0
Method	OECD 107			
Source	ECHA			
Kinematic viscosity				
No data available				
Particle characteristics				
No data available				
2 Other information				
Other information				

No data available.

# SECTION 10: Stability and reactivity

# 10.1 Reactivity

Stable at ambient temperature.

# 10.2 Chemical stability

Current version : 2.1.1, issued: 27.07.2023	Replaced version: 2.1.0, issued: 02.02.2023	Region: GB
Stable under recommended storage and	nandling conditions (See section 7).	

# 10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

### **10.4 Conditions to avoid** None, if handled according to intended use.

- **10.5** Incompatible materials Oxidizing agents
- **10.6 Hazardous decomposition products** No data available.

# **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity			
No Substance name		CAS no.	EC no.
1 disodium-sebacate		17265-14-4	241-300-3
LD50	>	500	0 mg/kg bodyweight
Species	rat		
Method	OECD 401		
Source	ECHA		
Acute dermal toxicity			
No Substance name		CAS no.	EC no.
1 disodium-sebacate		17265-14-4	241-300-3
LD50	>	200	0 mg/kg bodyweight
Species	rat		
Method	OECD 402		
Source	ECHA		
Acute inhalational toxicity			
No data available			
Skin corrosion/irritation			
No Substance name		CAS no.	EC no.
1 disodium-sebacate		17265-14-4	241-300-3
Species	rabbit		
Method	OECD 404		
Source	ECHA		
Evaluation	non-irritant		
Serious eye damage/irritation			
No data available			
Respiratory or skin sensitisation			
No data available			
Germ cell mutagenicity			
No Substance name		CAS no.	EC no.
1 disodium-sebacate		17265-14-4	241-300-3
Species	hamster		
Method	OECD 476		
Source	ECHA		
Evaluation/classification	Based on av	ailable data, the class	ification criteria are not met.
Reproduction toxicity			
No data available			
Carcinogenicity			
No data available			
STOT - single exposure			
No data available			

Current version : 2.1.1, issued: 27.07.2023

Replaced version: 2.1.0, issued: 02.02.2023

Region: GB

No	Substance name	CAS no.	EC no.
1	disodium-sebacate	17265-14-4	241-300-3
Rou	te of exposure	oral	
NOE	L	>=	1000 mg/kg bw/c
Spe	cies	rat	
Meth	nod	OECD 408	
Sou	rce	ECHA	
Eval	uation/classification	Based on available data, the o	lassification criteria are not met

No data available

# 11.2 Information on other hazards

**Endocrine disrupting properties** No data available.

Other information

No data available.

# **SECTION 12: Ecological information**

# 12.1 Toxicity

No Substance name		CAS no.		EC no.	
1 disodium-sebacate		17265-14-4		241-300-3	
LC50	>	1/200-14-4	100		_
Duration of exposure	-		96	h	
Species	Dani	o rerio	30	11	
Method		D 203			
Source	ECH				
Toxicity to fish (chronic)	[	· ·			_
No data available					
Toxicity to Daphnia (acute)					
No Substance name		CAS no.		EC no.	
1 disodium-sebacate		17265-14-4		241-300-3	
EC50			18	mg/l	
Duration of exposure			48	h	
Species	Dap	nnia magna			
Source					
Toxicity to Daphnia (chron No data available	ECH	A			
Toxicity to Daphnia (chron No data available Toxicity to algae (acute)	Let a set of the set o				
Toxicity to Daphnia (chron No data available Toxicity to algae (acute) No Substance name	Let a set of the set o	CAS no.		EC no.	
Toxicity to Daphnia (chronNo data availableToxicity to algae (acute)NoSubstance name1disodium-sebacate	Let a set of the set o			EC no. 241-300-3	
Toxicity to Daphnia (chronNo data availableToxicity to algae (acute)NoSubstance name1disodium-sebacateEL50	Let a set of the set o	CAS no.	38.7		
Toxicity to Daphnia (chronNo data availableToxicity to algae (acute)NoSubstance name1disodium-sebacateEL50Duration of exposure	ic)	CAS no. 17265-14-4	38.7 72	241-300-3	
Toxicity to Daphnia (chronNo data availableToxicity to algae (acute)NoSubstance name1disodium-sebacateEL50Duration of exposureSpecies	ic)	CAS no. 17265-14-4 etonema costatum		<b>241-300-3</b> mg/l	
Toxicity to Daphnia (chronNo data availableToxicity to algae (acute)NoSubstance name1disodium-sebacateEL50Duration of exposureSpeciesMethod	ic)	CAS no. 17265-14-4 etonema costatum 10253		<b>241-300-3</b> mg/l	
Toxicity to Daphnia (chronNo data availableToxicity to algae (acute)NoSubstance name1disodium-sebacateEL50Duration of exposureSpecies	ic)	CAS no. 17265-14-4 etonema costatum 10253		<b>241-300-3</b> mg/l	
Toxicity to Daphnia (chron         No data available         Toxicity to algae (acute)         No       Substance name         1       disodium-sebacate         EL50       Duration of exposure         Species       Method         Source       Toxicity to algae (chronic)	ic)	CAS no. 17265-14-4 etonema costatum 10253		<b>241-300-3</b> mg/l	
Toxicity to Daphnia (chronNo data availableToxicity to algae (acute)NoSubstance name1disodium-sebacateEL50Duration of exposureSpeciesMethodSource	ic)	CAS no. 17265-14-4 etonema costatum 10253		<b>241-300-3</b> mg/l	
Toxicity to Daphnia (chron No data available         Toxicity to algae (acute)         No       Substance name         1       disodium-sebacate         EL50       Duration of exposure         Species       Method         Source       Toxicity to algae (chronic)         No       data available         Bacteria toxicity       Toxicity	ic)	CAS no. 17265-14-4 etonema costatum 10253		<b>241-300-3</b> mg/l	
Toxicity to Daphnia (chron No data availableToxicity to algae (acute)NoSubstance name1disodium-sebacateEL50Duration of exposureSpeciesMethodSourceToxicity to algae (chronic)No data available	ic)	CAS no. 17265-14-4 etonema costatum 10253		<b>241-300-3</b> mg/l	
Toxicity to Daphnia (chron         No data available         Toxicity to algae (acute)         No       Substance name         1       disodium-sebacate         EL50       Duration of exposure         Species       Method         Source       Toxicity to algae (chronic)         No data available       Bacteria toxicity         No data available       No data available	ic) Skel ISO ECH	CAS no. 17265-14-4 etonema costatum 10253		<b>241-300-3</b> mg/l	
Toxicity to Daphnia (chron No data available         Toxicity to algae (acute)         No       Substance name         1       disodium-sebacate         EL50       Duration of exposure         Species       Method         Source       Toxicity to algae (chronic)         No       data available         Bacteria toxicity       Toxicity	ic) Skel ISO ECH	CAS no. 17265-14-4 etonema costatum 10253		<b>241-300-3</b> mg/l	

Current version : 2.1.1, issued: 27.07.2023

Replaced version: 2.1.0, issued: 02.02.2023

Region: GB

1	disodium-sebacate	17265-14-4		241-300-3
Value			83	%
Duration			28	day(s)
Method		OECD 306		
Source		ECHA		
Evaluation		readily biodegradable		

### 12.3 Bioaccumulative potential

Part	Partition coefficient n-octanol/water (log value)					
No	Substance name		CAS no.		EC no.	
1	disodium-sebacate		17265-14-4		241-300-3	
log Pow				-4.9		
Reference temperature				20	°C	
with reference to		pH 7,8				
Method		OECD 107				
Source		ECHA				

# 12.4 Mobility in soil

No data available.

### 12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment		
PBT assessment	The product is not considered to be a PBT.	
vPvB assessment	The product is not considered to be a vPvB.	

### 12.6 Endocrine disrupting properties

No data available.

# 12.7 Other adverse effects

No data available.

#### 12.8 Other information

Other information

Do not discharge product unmonitored into the environment.

# **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

#### Product

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

#### Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

# **SECTION 14: Transport information**

#### 14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

#### 14.2 Transport IMDG

The product is not subject to IMDG regulations.

# 14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

#### **14.4 Other information** No data available.

No data avaliable.

# 14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

Current version : 2.1.1, issued: 27.07.2023

Replaced version: 2.1.0. issued: 02.02.2023

# 14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments Not relevant

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture **EU** regulations

#### Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006

#### REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

# Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances subject to restriction as listed in Annex XVII of the REACH regulation (EC) 1907/2006

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances This product is not subject to Part 1 or 2 of Annex I.

#### Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product

#### 15.2 Chemical safety assessment

No data available.

# **SECTION 16: Other information**

#### Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

#### Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections) H319

Causes serious eye irritation.

#### Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH. Prod-ID 760813