Trade name: KRONES colclean AD 1002

Current version: 1.0.2, issued: 08.04.2022 Replaced version: 1.0.1, issued: 08.06.2021 Region: GB

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name

#### **KRONES** colclean AD 1002

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses of the substance or mixture

Additive

#### Uses advised against

No data available.

#### 1.3 Details of the supplier of the safety data sheet

#### Address

KIC KRONES Internationale Cooperationsgesellschaft mbH

Böhmerwaldstraße 5 93073 Neutraubling

Telephone no. +49 9401 70-3020 e-mail kic@kic-krones.com

#### **Advice on Safety Data Sheet**

sdb\_info@umco.de

#### 1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

In case of transport incidents and other emergencies:

+44 (0) 1235 239 670 (NCEC, National Chemical Emergency Centre)

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Eye Dam. 1; H318 Met. Corr. 1; H290 Skin Irrit. 2; H315 STOT RE 2; H373

#### **Classification information**

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

#### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

#### Hazard pictograms





GHS05

Signal word

Danger

#### Hazardous component(s) to be indicated on label:

tetrasodium-ethylenediaminetetraacetate

Trade name: KRONES colclean AD 1002

Current version: 1.0.2, issued: 08.04.2022 Replaced version: 1.0.1, issued: 08.06.2021 Region: GB

#### Hazard statement(s)

H290 May be corrosive to metals.
H315 Causes skin irritation.
H318 Causes serious eye damage.

H373 May cause damage to organs through prolonged or repeated exposure

#### Precautionary statement(s)

P260 Do not breathe mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

#### 2.3 Other hazards

No data available.

### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not applicable. The product is not a substance.

#### 3.2 Mixtures

#### Hazardous ingredients

No	Substance name		Additi	onal information	
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Conce	entration	%
	REACH no				
1	tetrasodium-ethyle	nediaminetetraacetate			
	64-02-8	Eye Dam. 1; H318	>=	10.00 - < 25.00	wt%
	200-573-9	Acute Tox. 4; H332			
	607-428-00-2	Acute Tox. 4; H302			
	01-2119457892-27	STOT RE 2; H373			
2	2-Butenedioic acid	(2Z)-, polymer with 2-propenoic acid			
	29132-58-9	Met. Corr. 1; H290	<	5.00	wt%
	-				
	-				
	-				
3	sodium hydroxide				
	1310-73-2	Skin Corr. 1A; H314	<	2.50	wt%
	215-185-5	Met. Corr. 1; H290			
	011-002-00-6	Eye Dam. 1; H318			
	01-2119457892-27				

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
3	-	Skin Irrit. 2; H315: C >= 0.5%	-	-
		Eye Irrit. 2; H319: C >= 0.5%		
		Skin Corr. 1B; H314: C >= 2%		
		Skin Corr. 1A; H314: C >= 5%		

Acu	Acute toxicity estimate (ATE) values				
No	oral	dermal	inhalative		
1	1780 mg/kg bodyweight				

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### **General information**

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. In case of persisting adverse effects, consult a physician.

#### After inhalation

Trade name: KRONES colclean AD 1002

Current version: 1.0.2, issued: 08.04.2022 Reglaced version: 1.0.1, issued: 08.06.2021 Region: GB

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. In case of persisting adverse effects consult a physician.

#### After skin contact

In case of contact with skin wash off with water. Consult a doctor if skin irritation persists.

#### After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

#### After ingestion

Rinse the mouth thoroughly with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Seek medical attention.

#### 4.2 Most important symptoms and effects, both acute and delayed

No data available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Foam; Extinguishing powder; Water spray jet; Carbon dioxide

#### Unsuitable extinguishing media

High power water jet

#### 5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Toxic pyrolysis products; Carbon monoxide and carbon dioxide

#### 5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Do not inhale explosion and/or combustion byproducts. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. High risk of slipping due to leakage/spillage of product.

#### For emergency responders

Personal protective equipment (PPE) - see section 8.

#### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. Prevent spread over a wide area (e.g. by containment or oil barriers).

#### 6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

#### 6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances. Provide good ventilation at the work area (local exhaust ventilation, if necessary).

Trade name: KRONES colclean AD 1002

Current version: 1.0.2, issued: 08.04.2022 Reglaced version: 1.0.1, issued: 08.06.2021 Region: GB

#### General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Use barrier skin cream. Remove contaminated clothing and shoes and launder thoroughly before reusing. Provide eye wash fountain in work area. Have emergency shower available.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place.

#### Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

#### Incompatible products

Substances to be avoided, see section 10.

#### 7.3 Specific end use(s)

No data available.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **DNEL, DMEL and PNEC values**

#### **DNEL** values (worker)

No	Substance name			CAS / EC no	
	Route of exposure			Value	
1	tetrasodium-ethylenediaminetetraacetate			64-02-8	
				200-573-9	
	inhalative	Long term (chronic)	local	1.5	mg/m³
	inhalative	Short term (acut)	local	3	mg/m³

#### **DNEL value (consumer)**

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	tetrasodium-ethylenediaminetetraacetate		64-02-8		
			200-573-9		
	oral	Long term (chronic)	systemic	25	mg/kg/day
	inhalative	Long term (chronic)	local	0.6	mg/m³
	inhalative	Short term (acut)	local	1.2	mg/m³

#### **PNEC** values

No	Substance name		CAS / EC no	
	ecological compartment	Type	Value	
1			64-02-8	
			200-573-9	
	water	fresh water	2.2	mg/L
	water	marine water	0.22	mg/L
	water	Aqua intermittent	1.2	mg/L
	soil	-	0.72	mg/kg dry
				weight
	sewage treatment plant		43	mg/L

#### 8.2 Exposure controls

#### Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

#### Personal protective equipment

#### Respiratory protection

Trade name: KRONES colclean AD 1002

Current version: 1.0.2, issued: 08.04.2022 Replaced version: 1.0.1, issued: 08.06.2021 Region: GB

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified. Short term: filter apparatus, Filter A/P2

#### Eye / face protection

Safety glasses with side protection shield (EN 166)

#### **Hand protection**

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material butyl rubber

Material thickness > 0.11 mm Breakthrough time > 240 min

#### Other

Chemical-resistant work clothes.

#### **Environmental exposure controls**

No data available.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

State of aggregation				
liquid				
Form/Colour				
liquid				
brown				
Odour				
characteristic				
pH value				
Value		9		
Boiling point / boiling range				
Value	>	100	°C	
Melting point/freezing point				
Value	<	0	°C	
Decomposition temperature				
No data available				
Flash point				
No data available				
Ignition temperature				
No data available				
Auto-ignition temperature				
Comments	Product is	not selfigniting.		
Oxidising properties				
not oxidizing				
Flammability				
No data available				
Lower explosion limit				
No data available				
Upper explosion limit				
oppo. oxprooron mint				

Trade name: KRONES colclean AD 1002

Current version: 1.0.2, issued: 08.04.2022 Replaced version: 1.0.1, issued: 08.06.2021 Region: GB

No data available

Vapour pressure

No data available

Relative vapour density

No data available

Relative density

No data available

**Density** 

Value 1.2 g/ml

Solubility in water

Comments Completely miscible

Solubility

No data available

Partition coefficient n-octanol/water (log value)

No data available

Viscosity

No data available

**Particle characteristics** 

No data available

#### 9.2 Other information

#### Other information

No data available.

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No data available.

#### 10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

#### 10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

#### 10.4 Conditions to avoid

None, if handled according to intended use.

## 10.5 Incompatible materials

Aluminium; light metals

#### 10.6 Hazardous decomposition products

None, if handled according to intended use.

## **SECTION** 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acu	Acute oral toxicity (result of the ATE calculation for the mixture)			
No	Product Name			
1	KRONES colclean AD 1002			
Con	nments	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling		
		of this mixture according to table 3.1.1 defining the respective		

Acute oral toxicit	У		

Trade name: KRONES colclean AD 1002

Current version: 1.0.2, issued: 08.04.2022 Replaced version: 1.0.1, issued: 08.06.2021 Region: GB

No	Substance name		CAS no.		EC no.
1	tetrasodium-ethylenediaminetetraacetate	)	64-02-8		200-573-9
LD5	0			1780	mg/kg bodyweight
Spe	cies	rat (female)			
Soul	rce	ECHA			

# Acute dermal toxicity No data available

Acu	Acute inhalational toxicity (result of the ATE calculation for the mixture)				
No	Product Name				
1	KRONES colclean AD 1002				
Com	nments	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE for inhalation: > 20.000 ppmV (gases), > 20 mg/l			
		(vapours), > 5 mg/l (dusts/mists).			

## Acute inhalational toxicity No data available

Skin	Skin corrosion/irritation					
No	Substance name		CAS no.	EC no.		
1	tetrasodium-ethylenediaminetetraacetate	)	64-02-8	200-573-9		
Spec	cies	rabbit				
Meth	nod	OECD 404				
Sour	rce	ECHA				
Eval	uation	non-irritant				

Serie	Serious eye damage/irritation				
No	Substance name		CAS no.	EC no.	
1	tetrasodium-ethylenediaminetetraacetate	)	64-02-8	200-573-9	
Spec	cies	rabbit			
Method		OECD 405			
Source		ECHA			
Evaluation		corrosive			

## Respiratory or skin sensitisation No data available

# Germ cell mutagenicity No data available

Reproduction toxicity	
No data available	

Carcinogenicity
No data available

STOT - single exposure	
No data available	

STOT - repeated exposure	
No data available	

Aspiration hazard	
No data available	

### 11.2 Information on other hazards

### **Endocrine disrupting properties**

No data available.

#### Other information

No data available.

Trade name: KRONES colclean AD 1002

Current version: 1.0.2, issued: 08.04.2022 Replaced version: 1.0.1, issued: 08.06.2021 Region: GB

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Toxi	Toxicity to fish (acute)			
No	Substance name	CAS no.		EC no.
1	tetrasodium-ethylenediaminetetraacetate	64-02-8		200-573-9
LC5	0		121	mg/l
Duration of exposure			96	h
Species		Lepomis macrochirus		
Source		ECHA		

Toxicity to fish (chronic	
No data available	

Toxicity to Daphnia (acute)	
No data available	

Toxicity to Daphnia	(chronic)
No data available	

Toxicity to algae (acute)	
No data available	

rement to angue (emerne)	
No data available	
Poeteria terriaity	

Bacteria toxicity	
No data available	

#### 12.2 Persistence and degradability

No data available.

Toxicity to algae (chronic)

#### 12.3 Bioaccumulative potential

No data available.

#### 12.4 Mobility in soil

No data available.

### 12.5 Results of PBT and vPvB assessment

No data available.

#### 12.6 Endocrine disrupting properties

No data available.

#### 12.7 Other adverse effects

No data available.

#### 12.8 Other information

#### Other information

Do not discharge product unmonitored into the environment.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### Product

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility.

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

#### **Packaging**

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

Trade name: KRONES colclean AD 1002

Current version: 1.0.2, issued: 08.04.2022 Replaced version: 1.0.1, issued: 08.06.2021 Region: GB

#### **SECTION 14: Transport information**

#### 14.1 Transport ADR/RID/ADN

Class 8
Classification code C7
Packing group III
Hazard identification no. 80
UN number UN3267

Proper shipping name CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.

Technical name tetrasodium-ethylenediaminetetraacetate

2-Butenedioic acid (2Z)-, polymer with 2-propenoic acid

Tunnel restriction code E Label 8

14.2 Transport IMDG

Class 8
Packing group III
UN number UN3267

Proper shipping name CORROSIVE LIQUID. BASIC, ORGANIC, N.O.S.

Technical name tetrasodium-ethylenediaminetetraacetate

2-Butenedioic acid (2Z)-, polymer with 2-propenoic acid

EmS F-A, S-B

Label 8

#### 14.3 Transport ICAO-TI / IATA

Class 8
Packing group III
UN number UN3267

Proper shipping name Corrosive liquid, basic, organic, n.o.s.

Technical name tetrasodium-ethylenediaminetetraacetate

2-Butenedioic acid (2Z)-, polymer with 2-propenoic acid

Label

#### 14.4 Other information

No data available.

#### 14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

#### 14.6 Special precautions for user

No data available.

#### 14.7 Maritime transport in bulk according to IMO instruments

Not relevant

#### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <a href="EU regulations"><u>EU regulations</u></a>

#### Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

#### REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

## Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII. No 3

Trade name: KRONES colclean AD 1002

Current version: 1.0.2, issued: 08.04.2022 Replaced version: 1.0.1, issued: 08.06.2021 Region: GB

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No	Substance name	CAS no.	EC no.	No	
1	maleic acid	110-16-7	203-742-5	75	
2	sodium hydroxide	1310-73-2	215-185-5	75	
3	tetrasodium-ethylenediaminetetraacetate	64-02-8	200-573-9	75	

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

#### Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

#### 15.2 Chemical safety assessment

No data available.

#### **SECTION 16: Other information**

#### Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

## Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H332 Harmful if inhaled.

#### Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH. Prod-ID 760075