Trade name: KRONES colclean AD 3003

Current version: 1.0.3, issued: 08.04.2022 Reglaced version: 1.0.2, issued: 08.06.2021 Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

KRONES colclean AD 3003

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Additive

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

KIC KRONES Internationale Cooperationsgesellschaft mbH

Böhmerwaldstraße 5 93073 Neutraubling

Telephone no. +49 9401 70-3020 e-mail kic@kic-krones.com

Advice on Safety Data Sheet

sdb_info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

In case of transport incidents and other emergencies:

+44 (0) 1235 239 670 (NCEC, National Chemical Emergency Centre)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Eye Dam. 1; H318 Met. Corr. 1; H290 Skin Corr. 1A; H314

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



Signal word

Danger

Hazardous component(s) to be indicated on label:

sulphuric acid

Hazard statement(s)

Trade name: KRONES colclean AD 3003

Current version: 1.0.3, issued: 08.04.2022 Replaced version: 1.0.2, issued: 08.06.2021 Region: GB

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary statement(s)

P260 Do not breathe dust.

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

[or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Absorb spillage to prevent material damage.

P501 Dispose of contents/container to a facility in accordance with local and national

regulations.

2.3 Other hazards

P310

P390

No data available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

No	Substance name	Substance name		Additional information		
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Conce	entration		%
	REACH no					
1	sulphuric acid					
	7664-93-9	Skin Corr. 1A; H314	>=	70.00 - <	90.00	wt%
	231-639-5	Eye Dam. 1; H318				
	016-020-00-8					
	01-2119458838-20					
2	2-phosphonobutane-1,2,4-tricarboxylic acid					
	37971-36-1	Met. Corr. 1; H290	<	5.00		wt%
	253-733-5	Eye Irrit. 2; H319				
	-					
	01-2119436643-39					

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	В	Eye Irrit. 2; H319: C >= 5%	-	-
		Skin Irrit. 2; H315: C >= 5%		
		Eye Dam. 1; H318: C >= 15%		
		Skin Corr. 1A; H314: C >= 15%		

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. In case of persisting adverse effects consult a physician.

After skin contact

In case of contact with skin wash off with water. Call a doctor immediately.

After eye contact

Trade name: KRONES colclean AD 3003

Current version: 1.0.3, issued: 08.04.2022 Replaced version: 1.0.2, issued: 08.06.2021 Region: GB

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

After ingestion

Rinse the mouth thoroughly with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms

burns

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

All quenching (arc-extinguishing) media available. Extinguishing measures to suit surroundings.

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Sulphur oxides (SxOy); Toxic gases/vapours

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Do not inhale explosion and/or combustion byproducts. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations. Cool closed containers exposed to fire with water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Ensure adequate ventilation. Remove persons to safety.

For emergency responders

Personal protective equipment (PPE) - see section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances. Provide good ventilation at the work area (local exhaust ventilation, if necessary). Avoid contact with skin and eyes.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing. Provide eye wash fountain in work area. Have emergency shower available.

Trade name: KRONES colclean AD 3003

Current version: 1.0.3, issued: 08.04.2022 Replaced version: 1.0.2, issued: 08.06.2021 Region: GB

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original. Provide acid-resistant floor.

Incompatible products

Substances to be avoided, see section 10.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.		EC no.		
1	sulphuric acid	7664-93-9		231-639-5		
	2009/161/EU					
	sulphuric acid (mist)					
	Mist					
	WEL long-term (8-hr TWA reference period)	0.05	mg/m³			
	List of approved workplace exposure limits (WELs) / EH40					
	Sulphuric acid mist					
	WEL long-term (8-hr TWA reference period)	0.05	mg/m³	_		
	Comments	The mist is de	efined as the the	noracic fraction		

DNEL, DMEL and PNEC values

DNEL values (worker)

	5.122 values (1101.161)					
No	Substance name			CAS / EC no		
	Route of exposure			Value		
1	sulphuric acid			7664-93-9		
				231-639-5		
	inhalative	Long term (chronic)	local	0.05 mg/m³		
	inhalative	Short term (acut)	local	0.1 mg/m³		

PNEC values

No	Substance name			CAS / EC no	
	ecological compartment	Туре	Value		
1	sulphuric acid		7664-93-9		
	-		231-639-5		
	water	fresh water	0.0025	mg/L	
	water	marine water	0.00025	mg/L	
	water	fresh water sediment	0.002	mg/kg	
	water	marine water sediment	0.002	mg/kg	
	sewage treatment plant		8.8	mg/L	

8.2 Exposure controls

Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Trade name: KRONES colclean AD 3003

Current version: 1.0.3, issued: 08.04.2022 Replaced version: 1.0.2, issued: 08.06.2021 Region: GB

Eye / face protection

Safety glasses with side protection shield (EN 166)

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material viton Material thickness 0.7 mm Breakthrough time >= 480 min butyl rubber Appropriate Material Material thickness 0.7 mm Breakthrough time >= 120 min

Other

Chemical-resistant work clothes. Acid-resistant protective clothing

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation			
liquid			
Form/Colour			
liquid			
yellowish			
Odour			
odourless			
pH value			
Value		1	
Boiling point / boiling range			
Value	>	180	°C
Melting point/freezing point			
Value		-10	°C
			-
Decomposition temperature No data available			
Flash point			
No data available			
Ignition temperature			
No data available			
Auto-ignition temperature			
Comments	Product is not self	igniting.	
Flammability			
No data available			
Lower explosion limit No data available			
Upper explosion limit			
No data available			
Vapour pressure			

Trade name: KRONES colclean AD 3003

Current version: 1.0.3, issued: 08.04.2022 Replaced version: 1.0.2, issued: 08.06.2021 Region: GB

No data available

Relative vapour density

No data available

Relative density

Value 1.62

Density

No data available

Solubility in water

Comments Completely miscible

Solubility

No data available

Partition coefficient n-octanol/water (log value)

No data available

Viscosity

No data available

Particle characteristics

No data available

9.2 Other information

Other information

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable at ambient temperature.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use. Reactions with metals, with evolution of hydrogen.

10.4 Conditions to avoid

High temperatures. Protect from heat and direct sunlight.

10.5 Incompatible materials

Bases; Reducing agents; Metals; Amines; Peroxides; organic materials

10.6 Hazardous decomposition products

None, if handled according to intended use.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acu	Acute oral toxicity					
No	Substance name		CAS no.		EC no.	
1	sulphuric acid		7664-93-9		231-639-5	
LD5	0			2140	mg/kg bodyweight	
Spe	cies	rat				
Meth	nod	OECD 401				
Soul	rce	ECHA				

Acute dermal toxicity	
No data available	

Acute inhalational toxicity	V

Trade name: KRONES colclean AD 3003

Current version: 1.0.3, issued: 08.04.2022 Replaced version: 1.0.2, issued: 08.06.2021 Region: GB

No data available

Skin corrosion/irritation

No data available

Serious eye damage/irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Repr	Reproduction toxicity						
No 3	Substance name	CAS no.		EC no.			
1 :	sulphuric acid	7664-93-9		231-639-5			
Route	e of exposure	inhalational					
NOAE	EC		19.3	mg/m³			
Durat	tion of exposure		18	day(s)			
Speci	ies	rabbit					
Metho	od	OECD 414					
Source	ce	ECHA					
Evalu	Evaluation/classification Based on available data, the classification criteria are not met.						

Carcinogenicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure						
No Substance name	CAS no.		EC no.			
1 sulphuric acid	7664-93-9	9	231-639-5			
Route of exposure	inhalational					
LOAEC		0.3	mg/m³			
Duration of exposure		28	day(s)			
Species	rat					
Method	OECD 412					
Source	ECHA					
Evaluation/classification	Based on available data	a, the classification	on criteria are not met.			

Aspiration hazard	
No data available	

11.2 Information on other hazards

Endocrine disrupting properties

No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Toxi	icity to fish (acute)				
No	Substance name	CAS	S no.	EC no.	
1	sulphuric acid	7664-93-9 231-639-5			
LC5	0	16	- 28	mg/l	
Dura	ation of exposure		96	h	
Species		Lepomis macrochi	irus		
Source		ECHA			

Toxi	city to fish (chronic)			
No	Substance name	CAS no.	EC no.	

Trade name: KRONES colclean AD 3003

Current version: 1.0.3, issued: 08.04.2022 Replaced version: 1.0.2, issued: 08.06.2021 Region: GB

1	sulphuric acid	7664-93-9		231-639-5
NOE	EC .		0.025	mg/l
Dura	ation of exposure		65	day(s)
Spe	cies	Jordanella floridae		
Soul	rce	ECHA		

Toxi	icity to Daphnia (acute)				
No	Substance name	CA	S no.	EC no.	
1	sulphuric acid	76	64-93-9	231-639-5	
EC5	0	>	100	mg/l	
Dura	ation of exposure		48	h ¯	
Spe	cies	Daphnia magna			
Meth	nod	OECD 202			
Source		ECHA			

Toxi	icity to Daphnia (chronic)					
No	Substance name		CAS no.		EC no.	
1	sulphuric acid		7664-93-9		231-639-5	
NOE	EC			0.15	mg/l	
Dura	ation of exposure			35	day(s)	
Spec	cies	T. dissimilis				
Sour	rce	ECHA				

Toxi	city to algae (acute)			
No	Substance name	CAS no.		EC no.
1	sulphuric acid	7664-93-9		231-639-5
EC5	0	>	100	mg/l
Dura	ation of exposure		72	h
Species		Desmodesmus subspicatus		
Meth	nod	OECD 201		
Soul	rce	ECHA		

Toxicity to algae (chronic)	
No data available	

Bacteria toxicity	
No data available	

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information
Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Trade name: KRONES colclean AD 3003

Current version: 1.0.3, issued: 08.04.2022 Replaced version: 1.0.2, issued: 08.06.2021 Region: GB

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

Class 8 Classification code C1 Packing group Hazard identification no. 80 UN1830 **UN** number

Proper shipping name SULPHURIC ACID

Tunnel restriction code Label 8

14.2 Transport IMDG

8 Class Packing group П **UN** number

UN1830

Proper shipping name SULPHURIC ACID EmS

F-A, S-B Label

14.3 Transport ICAO-TI / IATA

Class 8 Packing group UN1830 **UN** number Proper shipping name Sulphuric acid

Lahel

14.4 Other information

No data available.

Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture **EU** regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Trade name: KRONES colclean AD 3003

Current version: 1.0.3, issued: 08.04.2022 Replaced version: 1.0.2, issued: 08.06.2021 Region: GB

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII. No 3

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

 No
 Substance name
 CAS no.
 EC no.
 No

 1
 sulphuric acid
 7664-93-9
 231-639-5
 75

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H318 Causes serious eye damage. H319 Causes serious eye irritation.

Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

В

Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight

Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH. Prod-ID 760590