Trade name: KRONES colclean AD 3004

Current version: 1.0.3, issued: 08.04.2022 Reglaced version: 1.0.2, issued: 08.06.2021 Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

KRONES colclean AD 3004

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Additive

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

KIC KRONES Internationale Cooperationsgesellschaft mbH

Böhmerwaldstraße 5 93073 Neutraubling

Telephone no. +49 9401 70-3020 e-mail kic@kic-krones.com

Advice on Safety Data Sheet

sdb_info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

In case of transport incidents and other emergencies:

+44 (0) 1235 239 670 (NCEC, National Chemical Emergency Centre)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Eye Dam. 1; H318 Met. Corr. 1; H290 Skin Corr. 1A; H314

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



Signal word

Danger

Hazardous component(s) to be indicated on label:

sulphuric acid

Hazard statement(s)

Trade name: KRONES colclean AD 3004

Current version: 1.0.3, issued: 08.04.2022 Replaced version: 1.0.2, issued: 08.06.2021 Region: GB

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary statement(s)

P260 Do not breathe vapours/spray.
P264 Wash hands thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

[or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

2.3 Other hazards

No data available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

No	Substance name		Additional information			
	CAS / EC / Index / Classification (EC) 1272/2008 (CLP) Concentration			%		
	REACH no					
1	sulphuric acid					
	7664-93-9	Skin Corr. 1A; H314	>=	70.00 - <	90.00	wt%
	231-639-5	Eye Dam. 1; H318				
	016-020-00-8					
	01-2119458838-20					

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	В	Eye Irrit. 2; H319: C >= 5% Skin Irrit. 2; H315: C >= 5%	-	-
		Eye Dam. 1; H318: C >= 15% Skin Corr. 1A; H314: C >= 15%		

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. Do not use mouth-to-mouth or mouth-to-nose resuscitation. In case of persisting adverse effects consult a physician.

After skin contact

Wash immediately with plenty of water for several minutes. Call a doctor immediately.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

After ingestion

Rinse out mouth and give plenty of water to drink. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

Trade name: KRONES colclean AD 3004

Current version: 1.0.3, issued: 08.04.2022 Reglaced version: 1.0.2, issued: 08.06.2021 Region: GB

Symptoms

burns

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Extinguishing measures to suit surroundings. All quenching (arc-extinguishing) media available.

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Toxic gases/vapours; Sulphur oxides (SxOy)

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Do not inhale explosion and/or combustion byproducts. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Use personal protective clothing. Ensure adequate ventilation. Remove persons to safety.

For emergency responders

Personal protective equipment (PPE) - see section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances. Provide good ventilation at the work area (local exhaust ventilation, if necessary).

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing. Have emergency shower available. Provide eye wash fountain in work area.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place. Protect from heat and direct sunlight.

Requirements for storage rooms and vessels

Trade name: KRONES colclean AD 3004

Current version: 1.0.3, issued: 08.04.2022 Replaced version: 1.0.2, issued: 08.06.2021 Region: GB

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original. Provide acid-resistant floor.

Incompatible products

Substances to be avoided, see section 10.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.	EC no.		
1	sulphuric acid	7664-93-9	231-639-5		
	2009/161/EU				
	sulphuric acid (mist)				
	Mist				
	WEL long-term (8-hr TWA reference period)	0.05 r	ng/m³		
	List of approved workplace exposure limits (WELs) / EH40				
	Sulphuric acid mist				
	WEL long-term (8-hr TWA reference period)	0.05 r	ng/m³		
	Comments	The mist is defi	ned as the thoracic fraction		

DNEL, DMEL and PNEC values

DNEL values (worker)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	sulphuric acid			7664-93-9	
				231-639-5	
	inhalative	Long term (chronic)	local	0.05	mg/m³
	inhalative	Short term (acut)	local	0.1	mg/m³

PNEC values

No	Substance name		CAS / EC no	
	ecological compartment	Туре	Value	
1	sulphuric acid		7664-93-9	
			231-639-5	
	water	fresh water	0.0025	mg/L
	water	marine water	0.00025	mg/L
	water	fresh water sediment	0.002	mg/kg
	water	marine water sediment	0.002	mg/kg
	sewage treatment plant	-	8.8	mg/L

8.2 Exposure controls

Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Respiratory filter (part): P2

Eye / face protection

Safety glasses with side protection shield (EN 166)

Hand protection

Trade name: KRONES colclean AD 3004

Current version : 1.0.3, issued: 08.04.2022 **Replaced version :** 1.0.2, issued: 08.06.2021 **Region :** GB

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material viton Material thickness 0.7 mm Breakthrough time >= 480 min butyl rubber Appropriate Material Material thickness 0.7 mm Breakthrough time 120 min

Other

Chemical-resistant work clothes. Acid-resistant protective clothing

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation		
liquid		
Form/Colour		
liquid		
colourless		
Odour		
odourless		
pH value		
Value	1	
Boiling point / boiling range		
Value	188	°C
Melting point/freezing point		
Value	-35	°C
Decomposition temperature		
No data available		
Flash point		
No data available		
Ignition temperature		
No data available		
Auto-ignition temperature		
Comments	Product is not selfigniting.	
Flammability		
No data available		
Lower explosion limit		
No data available		
Upper explosion limit No data available		
Vapour pressure No data available		
Relative vapour density No data available		
INU Uata avaliable		

Trade name: KRONES colclean AD 3004

Current version: 1.0.3, issued: 08.04.2022 Replaced version: 1.0.2, issued: 08.06.2021 Region: GB

Relative density	
Value	1.66

Density

No data available

Solubility in water

Comments

Completely miscible

Solubility
No data available

Partition coefficient n-octanol/water (log value)

No data available

Viscosity

No data available

Particle characteristics

No data available

9.2 Other information

Other information
No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable at ambient temperature.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Forms hydrogen when reacting with ignoble metals.

10.4 Conditions to avoid

None, if handled according to intended use.

10.5 Incompatible materials

Bases; Reducing agents; Peroxides; Metals

10.6 Hazardous decomposition products

None, if handled according to intended use.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acu	Acute oral toxicity						
No	Substance name		CAS no.		EC no.		
1	sulphuric acid		7664-93-9		231-639-5		
LD5	0			2140	mg/kg bodyweight		
Spe	cies	rat					
Meth	nod	OECD 401					
Sou	rce	ECHA					

Acute dermal toxicity	
No data available	

Acute inhalational toxicity No data available

	<u> </u>
Skin corrosion/irritation	
No data available	

Serious eye damage/irritation

Trade name: KRONES colclean AD 3004

Current version: 1.0.3, issued: 08.04.2022 Replaced version: 1.0.2, issued: 08.06.2021 Region: GB

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Rep	roduction toxicity				
No	Substance name	CAS no).	EC no.	
1	sulphuric acid	7664-93	3-9	231-639-5	
Rou	te of exposure	inhalational			
NOA	AEC .		19.3	mg/m³	
Dura	ation of exposure		18	day(s)	
Spe	cies	rabbit			
Meth	nod	OECD 414			
Soul	rce	ECHA			
Eval	uation/classification	Based on available da	ata, the classificati	ion criteria are not met.	

Carcinogenicity

No data available

STOT - single exposure

No data available

STO	T - repeated exposure				
No	Substance name	CA	S no.	EC no.	
1	sulphuric acid	76	64-93-9	231-639-5	
Rout	te of exposure	inhalational			
LOA	EC		0.3	mg/m³	
Dura	ation of exposure		28	day(s)	
Spec	cies	rat			
Meth	nod	OECD 412			
Sou	rce	ECHA			
Eval	uation/classification	Based on availab	le data, the classificati	on criteria are not met.	

As	piration	hazard
Nο	data ava	ailahla

11.2 Information on other hazards

Endocrine disrupting properties

No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Toxi	city to fish (acute)				
No	Substance name	CAS r	10.	EC no.	
1	sulphuric acid	7664-9	93-9	231-639-5	
LC5	0	16	- 28	mg/l	
Dura	ation of exposure		96	h	
Spe	cies	Lepomis macrochiru	S		
Soul	rce	ECHA			

Toxi	city to fish (chronic)			
No	Substance name	CAS no.		EC no.
1	sulphuric acid	7664-93-9		231-639-5
NOE	EC .		0.025	mg/l
Dura	ation of exposure		65	day(s)
Spec	cies	Jordanella floridae		
Soul	rce	ECHA		

Trade name: KRONES colclean AD 3004

Current version: 1.0.3, issued: 08.04.2022 Replaced version: 1.0.2, issued: 08.06.2021 Region: GB

Toxi	city to Daphnia (acute)			
No	Substance name	CAS no.		EC no.
1	sulphuric acid	7664-93-9		231-639-5
EC5	0	>	100	mg/l
Dura	ation of exposure		48	h
Spe	cies	Daphnia magna		
Meth	nod	OECD 202		
Soul	rce	ECHA		

Toxi	city to Daphnia (chronic)				
No	Substance name		CAS no.		EC no.
1	sulphuric acid		7664-93-9		231-639-5
NOE	EC .			0.15	mg/l
Dura	ation of exposure			35	day(s)
Spec	cies	T. dissimilis			
Sour	rce	ECHA			

Toxi	icity to algae (acute)				
No	Substance name	CAS	no.	EC no.	
1	sulphuric acid	7664·	-93-9	231-639-5	
EC5	60	>	100	mg/l	
Dura	ation of exposure		72	h	
Spe	cies	Desmodesmus sub	spicatus		
Meth	nod	OECD 201			
Soul	rce	ECHA			

Toxicity to algae (chronic)	
No data available	

Bacteria toxicity	
No data available	

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information
Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Trade name: KRONES colclean AD 3004

Current version: 1.0.3, issued: 08.04.2022 Replaced version: 1.0.2, issued: 08.06.2021 Region: GB

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

Class 8
Classification code C1
Packing group II
Hazard identification no. 80
UN number UN1830

Proper shipping name SULPHURIC ACID

Tunnel restriction code E Label 8

14.2 Transport IMDG

Class 8
Packing group II
UN number UN1830

Proper shipping name SULPHURIC ACID

EmS F-A, S-B Label 8

14.3 Transport ICAO-TI / IATA

Class 8
Packing group II
UN number UN1830
Proper shipping name Sulphuric acid

Label 8

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No 3

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No Substance name CAS no. EC no. No

Trade name: KRONES colclean AD 3004

Current version: 1.0.3, issued: 08.04.2022 Reglaced version: 1.0.2, issued: 08.06.2021 Region: GB

1 sulphuric acid 7664-93-9 231-639-5 75

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H318 Causes serious eye damage.

Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

В

Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH. Prod-ID 760591