Trade name: KRONES colclean FC 1005

Current version: 1.0.2, issued: 08.04.2022 Replaced version: 1.0.1, issued: 08.06.2021 Region: GB

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name

#### **KRONES** colclean FC 1005

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses of the substance or mixture

cleaning compound

#### Uses advised against

No data available.

## 1.3 Details of the supplier of the safety data sheet

#### Address

KIC KRONES Internationale Cooperationsgesellschaft mbH

Böhmerwaldstraße 5 93073 Neutraubling

Telephone no. +49 9401 70-3020 e-mail kic@kic-krones.com

#### **Advice on Safety Data Sheet**

sdb\_info@umco.de

#### 1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

In case of transport incidents and other emergencies:

+44 (0) 1235 239 670 (NCEC, National Chemical Emergency Centre)

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Eye Dam. 1; H318 Met. Corr. 1; H290 Skin Corr. 1; H314

### **Classification information**

Product is classified as "Corrosive" based on the extreme pH-value, see:

- Regulation 1272/2008 (CLP), Annex. I, number 3.2.2.2 / 3.2.3.1.2

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

#### 2.2 Label elements

## Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

#### **Hazard pictograms**



#### Signal word

Danger

## Hazardous component(s) to be indicated on label:

sodium hydroxide

Trade name: KRONES colclean FC 1005

Current version: 1.0.2, issued: 08.04.2022 Replaced version: 1.0.1, issued: 08.06.2021 Region: GB

Hazard statement(s)

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary statement(s)

P260 Do not breathe mist/vapours/spray. P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

for showerl.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

#### 2.3 Other hazards

PBT assessment

The product is not considered to be a PBT.

vPvB assessment

The product is not considered to be a vPvB.

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not applicable. The product is not a substance.

## 3.2 Mixtures

Hazardous ingredients

No	Substance name		Additio	onal information		
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Conce	ntration		%
1	sodium hydroxide					
	1310-73-2	Skin Corr. 1A; H314	>=	25.00 - <	50.00	wt%
	215-185-5	Met. Corr. 1; H290				
	011-002-00-6	Eye Dam. 1; H318				
	01-2119457892-27					
2	potassium hydroxi	de				
	1310-58-3	Acute Tox. 4; H302	>=	5.00 - <	10.00	wt%
	215-181-3	Skin Corr. 1A; H314				
	019-002-00-8	Met. Corr. 1; H290				
	01-2119487136-33	Eye Dam. 1; H318				
3	hexyl D-glucoside					
	54549-24-5	Eye Dam. 1; H318	<	2.50		wt%
	259-217-6					
	-					
	01-2119492545-29					
4	Etidronic acid					
	2809-21-4	Eye Dam. 1; H318	<	2.50		wt%
	220-552-8	Acute Tox. 4; H302				
	-	Met. Corr. 1; H290				
	01-2119510391-53					

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	-	Skin Irrit. 2; H315: C >= 0.5% Eye Irrit. 2; H319: C >= 0.5% Skin Corr. 1B; H314: C >= 2% Skin Corr. 1A; H314: C >= 5%	-	-
2	-	Skin Irrit. 2; H315: C >= 0.5% Eye Irrit. 2; H319: C >= 0.5% Skin Corr. 1B; H314: C >= 2% Skin Corr. 1A; H314: C >= 5%	-	-

Current version: 1.0.2, issued: 08.04.2022 Replaced version: 1.0.1, issued: 08.06.2021 Region: GB

Acu	Acute toxicity estimate (ATE) values			
No	oral	dermal	inhalative	
2	333 mg/kg bodyweight			
4	1878 mg/kg bodyweight			

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

#### **General information**

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

#### After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. In case of persisting adverse effects consult a physician.

#### After skin contact

In case of contact with skin wash off immediately with copious amounts of water. Call a doctor immediately.

#### After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Call a doctor immediately.

#### After ingestion

Rinse the mouth thoroughly with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

#### **Symptoms**

burns

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

### Suitable extinguishing media

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

## Unsuitable extinguishing media

High power water jet

#### 5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Toxic gases/vapours

#### 5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

## **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Ensure adequate ventilation. Remove persons to safety. Avoid contact with skin, eyes and clothing.

## For emergency responders

Personal protective equipment (PPE) - see section 8.

#### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

#### 6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

Trade name: KRONES colclean FC 1005

Current version: 1.0.2, issued: 08.04.2022 Replaced version: 1.0.1, issued: 08.06.2021 Region: GB

#### 6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances. Provide good ventilation at the work area (local exhaust ventilation, if necessary).

#### General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing. Use barrier skin cream. Provide eye wash fountain in work area. Have emergency shower available.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place. Protect from heat and direct sunlight. Keep from freezing.

#### Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

#### Incompatible products

Substances to be avoided, see section 10.

## 7.3 Specific end use(s)

No data available.

## **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### Occupational exposure limit values

No	Substance name	CAS no.		EC no.
1	sodium hydroxide	1310-73-2		215-185-5
	List of approved workplace exposure limits (WELs) /	EH40		
	Sodium hydroxide			
	WEL short-term (15 min reference period)	2	mg/m³	
2	potassium hydroxide	1310-58-3		215-181-3
2	potassium hydroxide List of approved workplace exposure limits (WELs) /			215-181-3
2				215-181-3
2	List of approved workplace exposure limits (WELs) /		mg/m³	215-181-3

## **DNEL, DMEL and PNEC values**

## **DNEL values (worker)**

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	sodium hydroxide			1310-73-2	
	-			215-185-5	
	inhalative	Long term (chronic)	local	1	mg/m³
2	potassium hydroxide			1310-58-3	
				215-181-3	
	inhalative	Long term (chronic)	local	1	mg/m³

Current version: 1.0.2, issued: 08.04.2022 Replaced version: 1.0.1, issued: 08.06.2021 Region: GB

3	hexyl D-glucoside		54549-24-5 259-217-6		
	dermal	Long term (chronic)	systemic	595000	mg/kg/day
	inhalative	Long term (chronic)	systemic	420	mg/m³

**DNEL** value (consumer)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	sodium hydroxide			1310-73-2	
				215-185-5	
	inhalative	Long term (chronic)	local	1	mg/m³
2	potassium hydroxide			1310-58-3	
				215-181-3	
	inhalative	Long term (chronic)	local	1	mg/m³
3	hexyl D-glucoside			54549-24-5	
				259-217-6	
	oral	Long term (chronic)	systemic	35.7	mg/kg/day
	dermal	Long term (chronic)	systemic	357000	mg/kg/day
	inhalative	Long term (chronic)	systemic	124	mg/m³
4	Etidronic acid			2809-21-4	
				220-552-8	
	oral	Long term (chronic)	systemic	6.5	mg/kg/day
	oral	Short term (acut)	systemic	6.5	mg/kg/day

#### **PNEC values**

No	Substance name		CAS / EC no	
	ecological compartment	Туре	Value	
1	hexyl D-glucoside	, <b>,</b> , ,	54549-24-5	
			259-217-6	
	water	fresh water	0.176	mg/L
	water	marine water	0.018	mg/L
	water	Aqua intermittent	4.2	mg/L
	water	fresh water sediment	0.722	mg/kg dry weight
	water	marine water sediment	0.072	mg/kg dry weight
	soil	-	0.654	mg/kg dry weight
	sewage treatment plant	-	100	mg/L
	secondary poisoning	-	111.11	mg/kg
	with reference to: food			
2	Etidronic acid		2809-21-4 220-552-8	
	water	fresh water	0.136	mg/L
	water	marine water	0.014	mg/L
	water	fresh water sediment	59	mg/kg dry weight
	water	marine water sediment	5.9	mg/kg dry weight
	soil	-	96	mg/kg dry weight
	sewage treatment plant	-	20	mg/L
	secondary poisoning	-	12	g/kg
	with reference to: food			

## 8.2 Exposure controls

## Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

## Personal protective equipment

Current version: 1.0.2, issued: 08.04.2022 Replaced version: 1.0.1, issued: 08.06.2021 Region: GB

## Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified. Short term: filter apparatus, combination filter B-P3

#### Eve / face protection

Safety glasses with side protection shield (EN 166)

#### Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material	viton		
Material thickness	>=	0.4	mm
Breakthrough time	>=	480	min
Appropriate Material	butyl rubber		
Material thickness	>=	0.5	mm
Breakthrough time	>=	480	min
Appropriate Material	butyl rubber		
Material thickness	>=	0.35	mm
Breakthrough time	>=	480	min
Appropriate Material	PVC		
Material thickness	>=	0.5	mm
Breakthrough time	>=	480	min

#### Other

Chemical-resistant work clothes.

## **Environmental exposure controls**

No data available.

Ignition temperature
No data available
Oxidising properties

not oxidizing

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

State of aggregation	
liquid	
Form/Colour	
liquid	
yellow-brown; clear	
Odour	
characteristic	
pH value	
Value	11.5
Boiling point / boiling range	
No data available	
Melting point/freezing point	
No data available	
Decomposition temperature	
No data available	
Flash point	
No data available	

Trade name: KRONES colclean FC 1005

Current version: 1.0.2, issued: 08.04.2022 Replaced version: 1.0.1, issued: 08.06.2021 Region: GB

**Flammability** 

No data available

Lower explosion limit

No data available

Upper explosion limit

No data available

Vapour pressure

No data available

Relative vapour density

No data available

Relative density

Value 1.339

**Density** 

No data available

Solubility in water

Comments Completely miscible

Solubility

No data available

Partition coefficient n-octanol/water (log value)

No data available

**Viscosity** 

No data available

Particle characteristics

No data available

## 9.2 Other information

Other information

No data available.

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

Stable at ambient temperature.

## 10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

#### 10.3 Possibility of hazardous reactions

Reactions with metals, with evolution of hydrogen.

## 10.4 Conditions to avoid

None, if handled according to intended use.

#### 10.5 Incompatible materials

Oxidizing agents; Acids; Metals; Halogenated compounds

## 10.6 Hazardous decomposition products

None, if handled according to intended use.

## **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

A	Acute oral toxicity (result of the ATE calculation for the mixture)		
N	o	Product Name	
1		KRONES colclean FC 1005	

Current version: 1.0.2, issued: 08.04.2022 Replaced version: 1.0.1, issued: 08.06.2021 Region: GB

Comments	The result of the applied calculation method according to the
	European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part
	3 of Annex I is outside the values that imply a classification / labelling
	of this mixture according to table 3.1.1 defining the respective
	categories (ATE oral > 2000 mg/kg).

Acu	Acute oral toxicity						
No	Substance name		CAS no.		EC no.		
1	potassium hydroxide		1310-58-3		215-181-3		
LD5	0			333	mg/kg bodyweight		
Species		rat					
Method		OECD 425					
Sou	rce	ECHA					
2	Etidronic acid		2809-21-4		220-552-8		
LD5	0			1878	mg/kg bodyweight		
Species		rat					
		ECHA					

# Acute dermal toxicity No data available

# Acute inhalational toxicity No data available

# Skin corrosion/irritation No data available

# Serious eye damage/irritation No data available

Res	Respiratory or skin sensitisation				
No	Substance name	CAS no.	EC no.		
1	sodium hydroxide	1310-73-2	215-185-5		
Rou	te of exposure	Skin			
Spe	cies	Human			
Soul	rce	ECHA			
Eval	uation	non-sensitizing			
Eval	uation/classification	Based on available data, the classification	criteria are not met.		
2	potassium hydroxide	1310-58-3	215-181-3		
Route of exposure		Skin			
Species		guinea pig			
Source		ECHA			
Evaluation		non-sensitizing			

Geri	Germ cell mutagenicity				
No	Substance name	CAS no.	EC no.		
1	potassium hydroxide	1310-58-3	215-181-3		
Туре	Type of examination Ames-Test				
Spe	cies	Bacteria - Salmonella typhimurium			
Soul	Source ECHA				
Eval	Evaluation/classification Based on available data, the classification criteria are not met.		n criteria are not met.		

Reproduction toxicity	
No data available	

Carcinogenicity	
No data available	

STOT - single exposure
No data available

STOT - repeated exposure	
No data available	

Aspiration hazard	
No data available	

Trade name: KRONES colclean FC 1005

Current version: 1.0.2, issued: 08.04.2022 Replaced version: 1.0.1, issued: 08.06.2021 Region: GB

#### 11.2 Information on other hazards

**Endocrine disrupting properties** 

No data available.

Other information

No data available.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Toxi	Toxicity to fish (acute)				
No	Substance name	CAS no.	EC no.		
1	potassium hydroxide	1310-58-3	215-181-3		
LC5	0	80	mg/l		
Dura	ation of exposure	96	h		
Species		Gambusia affinis			
Source ECHA		ECHA			
Evaluation/classification Based on available data, the classification criteria are not met.		tion criteria are not met.			

## Toxicity to fish (chronic)

No data available

Toxi	Toxicity to Daphnia (acute)				
No	Substance name	CAS no.		EC no.	
1	sodium hydroxide	1310-73-2		215-185-5	
EC5	0		40.4	mg/l	
Dura	ation of exposure		48	h	
Species		Ceriodaphnia spec			
Source		ECHA			

## Toxicity to Daphnia (chronic)

No data available

## Toxicity to algae (acute)

No data available

## Toxicity to algae (chronic)

No data available

### **Bacteria toxicity**

No data available

## 12.2 Persistence and degradability

No data available.

## 12.3 Bioaccumulative potential

No data available.

## 12.4 Mobility in soil

No data available.

## 12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment			
PBT assessment	The product is not considered to be a PBT.		
vPvB assessment	The product is not considered to be a vPvB.		

## 12.6 Endocrine disrupting properties

No data available.

## 12.7 Other adverse effects

No data available.

## 12.8 Other information

Other information

Trade name: KRONES colclean FC 1005

Current version: 1.0.2, issued: 08.04.2022 Replaced version: 1.0.1, issued: 08.06.2021 Region: GB

Do not discharge product unmonitored into the environment.

## **SECTION** 13: Disposal considerations

#### 13.1 Waste treatment methods

#### **Product**

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility.

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

#### **Packaging**

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

## **SECTION 14: Transport information**

#### 14.1 Transport ADR/RID/ADN

Class 8
Classification code C5
Packing group II
Hazard identification no. 80
UN number UN3266

Proper shipping name CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.

Technical name sodium hydroxide potassium hydroxide

Tunnel restriction code E Label 8

## 14.2 Transport IMDG

Class 8
Packing group II

UN number UN3266

Proper shipping name CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.

Technical name sodium hydroxide potassium hydroxide

EmS F-A, S-B Label 8

#### 14.3 Transport ICAO-TI / IATA

Class 8
Packing group II
UN number UN3266

Proper shipping name Corrosive liquid, basic, inorganic, n.o.s.

Technical name sodium hydroxide potassium hydroxide

Label 8

#### 14.4 Other information

No data available.

#### 14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

#### 14.6 Special precautions for user

No data available.

### 14.7 Maritime transport in bulk according to IMO instruments

Not relevant

## **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Current version: 1.0.2, issued: 08.04.2022 Reglaced version: 1.0.1, issued: 08.06.2021 Region: GB

#### **EU** regulations

#### Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

## REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

# Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII. No 3

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No	Substance name	CAS no.	EC no.	No
1	phosphonic acid	13598-36-2	237-066-7	75
2	potassium hydroxide	1310-58-3	215-181-3	75
3	sodium hydroxide	1310-73-2	215-185-5	75

# Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances This product is not subject to Part 1 or 2 of Annex I.

### Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

## 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

## **SECTION 16: Other information**

## Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section

# Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H302 Harmful if swallowed.

H318 Causes serious eye damage.

#### Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH. Prod-ID 760621