Trade name: KRONES colclean FC 2001

Current version: 2.0.0, issued: 13.05.2024 Reglaced version: 1.0.4, issued: 08.04.2022 Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

KRONES colclean FC 2001

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Cleaning agent

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

KIC KRONES Internationale Cooperationsgesellschaft mbH

Böhmerwaldstraße 5 93073 Neutraubling

Telephone no. +49 9401 70-3020 e-mail kic@kic-krones.com

Advice on Safety Data Sheet

sdb_info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

In case of transport incidents and other emergencies:

+44 (0) 1235 239 670 (NCEC, National Chemical Emergency Centre)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Aquatic Acute 1; H400 Aquatic Chronic 2; H411 Eye Dam. 1; H318 Met. Corr. 1; H290 Skin Corr. 1A; H314

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms





GHS05

Signal word

Danger

Hazardous component(s) to be indicated on label:

Trade name: KRONES colclean FC 2001

Current version: 2.0.0, issued: 13.05.2024 Reglaced version: 1.0.4, issued: 08.04.2022 Region: GB

sodium hydroxide

sodium hypochlorite, solution

Hazard statement(s)

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling. P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

[or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

2.3 Other hazards

PBT assessment

The product is not considered to be a PBT.

vPvB assessment

The product is not considered to be a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

No	Substance name		Additio	nal information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concen	itration	%
1	sodium hydroxide				
	1310-73-2	Skin Corr. 1A; H314	>=	5.00 - < 10.00	wt%
	215-185-5	Met. Corr. 1; H290			
	011-002-00-6	Eye Dam. 1; H318			
	01-2119457892-27				
2	2 sodium hypochlorite, solution				
	7681-52-9	Met. Corr. 1; H290	<	5.00	wt%
	231-668-3	Skin Corr. 1B; H314			
	017-011-00-1	Eye Dam. 1; H318			
	01-2119488154-34	STOT SE 3; H335			
		Aquatic Acute 1; H400			
		Aquatic Chronic 1; H410			
		EUH031			
3	Amines, C12-14 (ev	ren numbered)-alkyldimethyl, N-oxides			
	-	Acute Tox. 4; H302	<	2.50	wt%
	931-292-6	Aquatic Acute 1; H400			
	-	Aquatic Chronic 2; H411			
	01-2119490061-47	Eye Dam. 1; H318			
		Skin Irrit. 2; H315			

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	-	Skin Irrit. 2; H315: C >= 0.5% Eye Irrit. 2; H319: C >= 0.5% Skin Corr. 1B; H314: C >= 2% Skin Corr. 1A; H314: C >= 5%	-	-
2	-	-	M = 10	M = 1

Trade name: KRONES colclean FC 2001

Current version: 2.0.0, issued: 13.05.2024 Reglaced version: 1.0.4, issued: 08.04.2022 Region: GB

Acu	Acute toxicity estimate (ATE) values				
No	oral	dermal	inhalative		
3	1064 mg/kg bodyweight				

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. Do not use mouth-to-mouth or mouth-to-nose resuscitation. In case of persisting adverse effects consult a physician.

After skin contact

Wash immediately with plenty of water for several minutes. Seek medical attention.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

After ingestion

Rinse out mouth and give plenty of water to drink. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms

burns

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Foam; Extinguishing powder; Water spray jet; Carbon dioxide

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide and carbon dioxide; chlorine compounds; Pyrolysis products

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Do not inhale explosion and/or combustion byproducts. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Use personal protective clothing. Ensure adequate ventilation. Remove persons to safety.

For emergency responders

Personal protective equipment (PPE) - see section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. Prevent spread over a wide area (e.g. by containment or oil barriers).

Current version: 2.0.0, issued: 13.05.2024 Reglaced version: 1.0.4, issued: 08.04.2022 Region: GB

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances. Provide good ventilation at the work area (local exhaust ventilation, if necessary).

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing. Have emergency shower available. Provide eye wash fountain in work area.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place. Keep from freezing. Protect from sun.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original. Provide alkali-resistant floor.

Incompatible products

Substances to be avoided, see section 10. Do not store together with: Acids; Metals; oxidizing agents

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.	EC no.		
1	sodium hydroxide	1310-73-2	215-185-5		
	List of approved workplace exposure limits (WELs) / EH40				
	Sodium hydroxide				
	WEL short-term (15 min reference period)	2 mc	ı/m³		

DNEL, DMEL and PNEC values

DNEL values (worker)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	sodium hydroxide			1310-73-2	
				215-185-5	
	inhalative	Long term (chronic)	local	1	mg/m³
2	sodium hypochlorite, solution			7681-52-9	
				231-668-3	
	inhalative	Long term (chronic)	systemic	1.55	mg/m³
	inhalative	Short term (acut)	systemic	3.1	mg/m³
	inhalative	Long term (chronic)	local	1.55	mg/m³
	inhalative	Short term (acut)	local	3.1	mg/m³

Current version : 2.0.0, issued: 13.05.2024 **Replaced version:** 1.0.4, issued: 08.04.2022 **Region:** GB

3	Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides			-	-	
				931-292-	6	
	dermal	Long term (chronic)	systemic	11	mg/kg/day	
	inhalative	Long term (chronic)	systemic	6.2	mg/m³	

DNEL value (consumer)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	sodium hydroxide			1310-73-2	
	-			215-185-5	
	inhalative	Long term (chronic)	local	1	mg/m³
2	sodium hypochlorite, soli	ution		7681-52-9	
				231-668-3	
	oral	Long term (chronic)	systemic	0.26	mg/kg/day
	inhalative	Long term (chronic)	systemic	1.55	mg/m³
	inhalative	Short term (acut)	systemic	3.1	mg/m³
	inhalative	Long term (chronic)	local	1.55	mg/m³
	inhalative	Short term (acut)	local	3.1	mg/m³
3	Amines, C12-14 (even nui	mbered)-alkyldimethyl, N-o	xides	-	
				931-292-6	
	oral	Long term (chronic)	systemic	0.44	mg/kg/day
	dermal	Long term (chronic)	systemic	5.5	mg/kg/day
	inhalative	Long term (chronic)	systemic	1.53	mg/m³

PNEC values

	FIACO VAIGES						
No	Substance name		CAS / EC no				
	ecological compartment	Туре	Value				
1	sodium hypochlorite, solution		7681-52-9				
			231-668-3				
	water	fresh water	0.21	μg/L			
	water	marine water	0.042	μg/L			
	sewage treatment plant	-	4.69	mg/L			
	secondary poisoning	-	11.1	mg/kg food			
2	Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides		-				
			931-292-6				
	water	fresh water	0.034	mg/L			
	water	marine water	0.003	mg/L			
	water	Aqua intermittent	0.034	mg/L			
	water	fresh water sediment	5.24	mg/kg dry			
				weight			
	water	marine water sediment	0.524	mg/kg dry			
				weight			
	soil	-	1.02	mg/kg dry			
				weight			
	sewage treatment plant	-	24	mg/L			
	secondary poisoning	-	11.1	mg/kg food			

8.2 Exposure controls

Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Respirator B-P2

Eye / face protection

Safety glasses with side protection shield (EN 166); Tightly fitting safety glasses (EN 166).

Current version: 2.0.0, issued: 13.05.2024 Replaced version: 1.0.4, issued: 08.04.2022 Region: GB

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material	butyl rubber		
Material thickness	>=	0.5	mm
Breakthrough time	>	480	min
Appropriate Material	nitrile rubber		
Material thickness	>=	0.35	mm
Breakthrough time	>	480	min
Appropriate Material	viton		
Material thickness	>=	0.4	mm
Breakthrough time	>	480	min
Appropriate Material	chloroprene		
Material thickness	>=	0.5	mm
Breakthrough time	>	480	min

Other

Flammability

Chemical-resistant work clothes.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation			
liquid			
Form			
liquid			
Colour			
yellowish			
Odour characteristic			
pH value			
Value		12	
Boiling point / boiling range			
Value	>	100	°C
Melting point/freezing point			
Value	<	0	°C
Decomposition temperature			
No data available			
Flash point			
No data available			
Ignition temperature			
No data available			
Auto-ignition temperature			
Comments	Product is not self	igniting.	
Oxidising properties			

Trade name: KRONES colclean FC 2001

Current version: 2.0.0, issued: 13.05.2024 Replaced version: 1.0.4, issued: 08.04.2022 Region: GB

No data available

Lower explosion limit

No data available

Upper explosion limit

No data available

Vapour pressure

No data available

Relative vapour density

No data available

Relative density

Value 1.19

Density

No data available

Solubility

No data available

Part	Partition coefficient n-octanol/water (log value)						
No	Substance name		CAS no.		EC no.		
1	Amines, C12-14 (even numbered)-alkyld	imethyl, N-	-		931-292-6		
	oxides						
log F	Pow	<		2.7			
Method		calculated					
Source		ECHA					

Kir	nema	tic vis	cosity

No data available

Particle characteristics

No data available

9.2 Other information

Other information

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable at ambient temperature.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Reactions with metals, with evolution of hydrogen.

10.4 Conditions to avoid

Heat, naked flames and other ignition sources.

10.5 Incompatible materials

Oxidizing agents; Reducing agents; Acids; Metals

10.6 Hazardous decomposition products

None, if handled according to intended use.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity (result of th	ATE calculation	for the mixture)

No Product Name

Current version: 2.0.0, issued: 13.05.2024 Replaced version: 1.0.4, issued: 08.04.2022 Region: GB

1 KRONES colclean FC 2001	
Comments	The result of the applied calculation method according to the
	European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part
	3 of Annex I is outside the values that imply a classification / labelling
	of this mixture according to table 3.1.1 defining the respective
	categories (ATE oral > 2000 mg/kg).

Acu	Acute oral toxicity				
No	Substance name		CAS no.		EC no.
1	Amines, C12-14 (even numbered)-alkyldi oxides	methyl, N-	-		931-292-6
LD5				1064	mg/kg bodyweight
Spec	cies	rat			
Meth	nod	OECD 401			
Soul	rce	ECHA			
Eval	Evaluation/classification		ailable data, th	e classificatio	n criteria are met.

Acu	Acute dermal toxicity				
No	Substance name		CAS no.		EC no.
1	Amines, C12-14 (even numbered)-alkyldi	methyl, N-	-		931-292-6
	oxides				
LD5	0	>		2000	mg/kg bodyweight
Spe	cies	rabbit			
Meth	nod	OECD 402			
Soul	rce	ECHA			
Eval	luation/classification	Based on ava	ailable data, th	e classificatio	n criteria are not met.

Acute inhalational toxicity No data available

Skin	Skin corrosion/irritation					
No	Substance name	CAS no.	EC no.			
1	Amines, C12-14 (even numbered)-alkyldi	methyl, N	931-292-6			
	oxides					
Spec	cies	rabbit				
Meth	nod	OECD 404				
Soul	ce	ECHA				
Eval	uation	irritant				
Eval	uation/classification	Based on available data, the class	ssification criteria are met.			

Seri	Serious eye damage/irritation					
No	Substance name	CAS no.	EC no.			
1	Amines, C12-14 (even numbered)-alkyldi	methyl, N	931-292-6			
	oxides					
Spec	cies	rabbit				
Meth	nod	OECD 405				
Soul	rce	ECHA				
Eval	uation	corrosive				
Eval	uation/classification	Based on available data,	the classification criteria are n	net.		

Res	Respiratory or skin sensitisation				
No	Substance name	CAS no.	EC no.		
1	sodium hydroxide	1310-73-2	215-185-5		
Rou	te of exposure	Skin			
Spe	cies	Human			
Sou	rce	ECHA			
Evaluation		non-sensitizing			
Eval	luation/classification	Based on available data, the classification criteria are not met.			
2	Amines, C12-14 (even numbered)-alkyldi	methyl, N	931-292-6		
	oxides				
Rou	te of exposure	Skin			
Species		guinea pig			
Meth	nod	OECD 406			
Sou	rce	ECHA			

Current version: 2.0.0, issued: 13.05.2024 Replaced version: 1.0.4, issued: 08.04.2022 Region: GB

Evaluation	non-sensitizing
Evaluation/classification	Based on available data, the classification criteria are not met.

Geri	Germ cell mutagenicity				
No	Substance name	CAS no.	EC no.		
1	Amines, C12-14 (even numbered)-alkyldi	methyl, N	931-292-6		
	oxides				
Туре	e of examination	In vitro Mammalian Cell Micronucleus Tes	t		
Spec	cies	Human Lymphocyte			
Meth	nod	OECD 478			
Soul	rce	ECHA			
Evaluation/classification Based on available data, the classification criteria are not met		n criteria are not met.			

Rep	Reproduction toxicity				
No	Substance name	CAS no. EC no.			
1	Amines, C12-14 (even numbered)-alkyldi	methyl, N 931-292-6			
	oxides				
Rou	Route of exposure oral				
Туре	e of examination	Reproduction/Developmental Toxicity Screening Test			
Spec	cies	rat			
Meth	nod	OECD 422			
Soul	rce	ECHA			
Evaluation/classification Based on available data, the classification criteria are no		Based on available data, the classification criteria are not met.			

Card	Carcinogenicity				
No	Substance name	CAS no.	EC no.		
1	Amines, C12-14 (even numbered)-alkyldi	methyl, N	931-292-6		
	oxides				
Route of exposure		oral			
Spec	cies	rat			
Method		OECD 451			
Source		ECHA			
Eval	uation/classification	Based on available data, the class	ification criteria are not met.		

STOT - single exposure No data available

STO	STOT - repeated exposure					
No	Substance name	CAS no.	EC no.			
1	Amines, C12-14 (even numbered)-alkyldi	methyl, N	931-292-6			
	oxides					
Rout	te of exposure	oral				
Spec	cies	rat				
Meth	nod	OECD 408				
Source		ECHA				
Eval	uation/classification	Based on available data, the classi	fication criteria are not met.			

Aspiration hazard	
No data available	

11.2 Information on other hazards

Endocrine disrupting properties

No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Tox	icity to fish (acute)			
No	Substance name	CAS no.	EC no.	

Current version: 2.0.0, issued: 13.05.2024 Replaced version: 1.0.4, issued: 08.04.2022 Region: GB

1 Amines, C12-14 (even numbered)-alkylo oxides	limethyl, N		931-292-6
LC50 Duration of exposure	2.67	- 3. 96	
Species Method Source	Pimephales promelas APHA Standard Metho ECHA	d (1971)	

Toxicity to fish (chronic) No data available

Toxi	Toxicity to Daphnia (acute)						
No	Substance name	CAS no.		EC no.			
1	sodium hydroxide	1310-73-2		215-185-5			
EC5	0		40.4	mg/l			
Dura	ation of exposure		48	h			
Spe	cies	Ceriodaphnia spec					
Soul	rce	ECHA					
2	Amines, C12-14 (even numbered)-alkyldimethyl, N-			931-292-6			
	oxides						
EC5	0		10.5	mg/l			
Duration of exposure			48	h			
Spe	cies	Daphnia magna					
Meth	nod	OECD 202					
Soul	rce	ECHA					

Toxicity to Daphnia (chronic) No data available

Tox	Toxicity to algae (acute)						
No	Substance name	CAS no.		EC no.			
1	Amines, C12-14 (even numbered)-alkyldi	methyl, N		931-292-6			
	oxides						
ErC	50		0.86	mg/l			
Dura	ation of exposure		72	h ¯			
Spe	cies	Pseudokirchneriella subca	pitata				
Met	hod	OECD 201					
Sou	rce	ECHA					

Toxicity to algae (chronic)	
No data available	

Bacteria toxicity No data available

12.2 Persistence and degradability

Biod	Biodegradability					
No	Substance name	CAS no.		EC no.		
1	Amines, C12-14 (even numbered)-alkyldimethyl, N			931-292-6		
	oxides					
Valu	e		90	%		
Dura	ation		28	day(s)		
Meth	Method OECD 301 B					
Soul	Source ECHA					
Eval	luation	readily biodegradable				

Abio	Abiotic Degration					
No	Substance name		CAS no.	EC no.		
1	Amines, C12-14 (even numbered)-alkyldi	methyl, N-	-	931-292-6		
	oxides	• .				
Туре		Hydrolysis				
Meth	nod	OECD 111				
Soul	Source					
Eval	Evaluation/classification					

Trade name: KRONES colclean FC 2001

Current version: 2.0.0, issued: 13.05.2024 Reglaced version: 1.0.4, issued: 08.04.2022 Region: GB

12.3 Bioaccumulative potential

Part	Partition coefficient n-octanol/water (log value)					
No	Substance name		CAS no.		EC no.	
1	Amines, C12-14 (even numbered)-alkyldi	methyl, N-	-		931-292-6	
	oxides					
log F	Pow	<		2.7		
Meth	nod					
Soul	Source ECHA					

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
PBT assessment	The product is not considered to be a PBT.
vPvB assessment	The product is not considered to be a vPvB.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information	
Do not discharge product unmonitored into the environment.	

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID/ADN UN3266 IMDG UN3266 ICAO-TI / IATA UN3266

14.2 UN proper shipping name

ADR/RID/ADN CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.

Technical name sodium hydroxide

sodium hypochlorite, solution

IMDG CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.

Technical name sodium hydroxide

sodium hypochlorite, solution

ICAO-TI / IATA Corrosive liquid, basic, inorganic, n.o.s.

Technical name sodium hydroxide

sodium hypochlorite, solution

14.3 Transport hazard class(es)

ADR/RID/ADN - Class 8
Label 8

Trade name: KRONES colclean FC 2001

Current version: 2.0.0, issued: 13.05.2024 Reglaced version: 1.0.4, issued: 08.04.2022 Region: GB

Classification code	C5
Tunnel restriction code	E
Hazard identification no.	80
IMDG - Class	8
Label	8
ICAO-TI / IATA - Class	8 8

14.4 Packing group

ADR/RID/ADN II
IMDG II
ICAO-TI / IATA II

14.5 Environmental hazards

ADR/RID/ADN Symbol "fish and tree"
IMDG Symbol "fish and tree"
EmS F-A, S-B

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No. 3

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No	Substance name	CAS no.	EC no.	No	
1	sodium hydroxide	1310-73-2	215-185-5	75	
2	sodium hypochlorite, solution	7681-52-9	231-668-3	75	

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances This product is subject to Part I of Annex I, risk category: E1

Other regulations Adhere to the national sanitary and occupational safety regulations when using this product.

15.2 Chemical safety assessment

No data available.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Trade name: KRONES colclean FC 2001

Current version: 2.0.0, issued: 13.05.2024 Reglaced version: 1.0.4, issued: 08.04.2022 Region: GB

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

EUH031 Contact with acids liberates toxic gas.

H302 Harmful if swallowed.
H315 Causes skin irritation.
H318 Causes serious eye damage.

H318 Causes serious eye damage.
H335 May cause respiratory irritation.
H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH. Prod-ID 760622