Trade name: KRONES colclean IC 1002

Product no.: 056

Current version: 1.0.3, issued: 07.08.2023 Replaced version: 1.0.2, issued: 08.04.2022 Region: GB

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 **Product identifier**

Trade name

### **KRONES colclean IC 1002**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

### Relevant identified uses of the substance or mixture

Detergent

### Uses advised against

No data available.

### 1.3 Details of the supplier of the safety data sheet

KIC KRONES Internationale Cooperationsgesellschaft mbH

Böhmerwaldstraße 5 93073 Neutraubling

+49 9401 70-3020 Telephone no. e-mail kic@kic-krones.com

### **Advice on Safety Data Sheet**

sdb\_info@umco.de

#### 1.4 **Emergency telephone number**

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

In case of transport incidents and other emergencies:

+44 (0) 1235 239 670 (NCEC, National Chemical Emergency Centre)

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

### Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Eye Dam. 1; H318 Met. Corr. 1; H290 Skin Corr. 1A; H314

### **Classification information**

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC)

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

#### 2.2 Label elements

### Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

### **Hazard pictograms**



# Signal word

Danger

### Hazardous component(s) to be indicated on label:

sodium hydroxide

Hazard statement(s)

Trade name: KRONES colclean IC 1002

Product no.: 056

Current version: 1.0.3, issued: 07.08.2023 Replaced version: 1.0.2, issued: 08.04.2022 Region: GB

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary statement(s)

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

[or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

### 2.3 Other hazards

No data available.

### **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Not applicable. The product is not a substance.

### 3.2 Mixtures

**Hazardous ingredients** 

| No | Substance name     |                                     | Additional information |           |       |     |
|----|--------------------|-------------------------------------|------------------------|-----------|-------|-----|
|    | CAS / EC / Index / | Classification (EC) 1272/2008 (CLP) | Conce                  | entration |       | %   |
|    | REACH no           |                                     |                        |           |       |     |
| 1  | sodium hydroxide   |                                     |                        |           |       |     |
|    | 1310-73-2          | Skin Corr. 1A; H314                 | >=                     | 25.00 - < | 50.00 | wt% |
|    | 215-185-5          | Met. Corr. 1; H290                  |                        |           |       |     |
|    | 011-002-00-6       | Eye Dam. 1; H318                    |                        |           |       |     |
|    | 01-2119457892-27   | -                                   |                        |           |       |     |
| 2  | 2-phosphonobutan   | e-1,2,4-tricarboxylic acid          |                        |           |       |     |
|    | 37971-36-1         | Met. Corr. 1; H290                  | <                      | 2.50      |       | wt% |
|    | 253-733-5          | Eye Irrit. 2; H319                  |                        |           |       |     |
|    | -                  | •                                   |                        |           |       |     |
|    | 01-2119436643-39   |                                     |                        |           |       |     |

Full Text for all H-phrases and EUH-phrases: pls. see section 16

| No | Note | Specific concentration limits  | M-factor (acute) | M-factor<br>(chronic) |
|----|------|--------------------------------|------------------|-----------------------|
| 1  | -    | Skin Irrit. 2; H315: C >= 0.5% | -                | -                     |
|    |      | Eye Irrit. 2; H319: C >= 0.5%  |                  |                       |
|    |      | Skin Corr. 1B; H314: C >= 2%   |                  |                       |
|    |      | Skin Corr. 1A; H314: C >= 5%   |                  |                       |

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

### **General information**

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. Seek medical advice immediately.

### After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. Do not use mouth-to-mouth or mouth-to-nose resuscitation. In case of persisting adverse effects consult a physician.

### After skin contact

Wash immediately with plenty of water for several minutes. Seek medical attention.

### After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

### After ingestion

Trade name: KRONES colclean IC 1002

Product no.: 056

Current version: 1.0.3, issued: 07.08.2023 Reglaced version: 1.0.2, issued: 08.04.2022 Region: GB

Rinse out mouth and give plenty of water to drink. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

### **Symptoms**

burns

### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

### Suitable extinguishing media

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

### Unsuitable extinguishing media

High power water jet

### 5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Toxic gases/vapours; Pyrolysis products

### 5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Do not inhale explosion and/or combustion byproducts. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

### For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Use personal protective clothing. Ensure adequate ventilation. Remove persons to safety.

### For emergency responders

Personal protective equipment (PPE) - see section 8.

### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

### 6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

### 6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

### Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances. Provide good ventilation at the work area (local exhaust ventilation, if necessary).

### General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing. Have emergency shower available. Provide eye wash fountain in work area.

### 7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Trade name: KRONES colclean IC 1002

Product no.: 056

Current version: 1.0.3, issued: 07.08.2023 Replaced version: 1.0.2, issued: 08.04.2022 Region: GB

Keep container tightly closed and dry in a cool, well-ventilated place. Keep from freezing. Protect from sun.

### Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original. Provide alkali-resistant floor.

### Incompatible products

Substances to be avoided, see section 10. Do not store together with: Acids; Metals

### 7.3 Specific end use(s)

No data available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

### Occupational exposure limit values

| No | Substance name   | CAS no.   |       | EC no.    |  |
|----|--|-----------|-------|-----------|--|
| 1  | sodium hydroxide   | 1310-73-2 |       | 215-185-5 |  |
|    | List of approved workplace exposure limits (WELs) / EH40 |           |       |           |  |
|    | Sodium hydroxide   |           |       |           |  |
|    | WEL short-term (15 min reference period)                 | 2         | mg/m³ |           |  |

### **DNEL, DMEL and PNEC values**

### **DNEL** values (worker)

| No | Substance name    |                     |        | CAS / EC no |       |
|----|-------------------|---------------------|--------|-------------|-------|
|    | Route of exposure | Exposure time       | Effect | Value       |       |
| 1  | sodium hydroxide  |                     |        | 1310-73-2   |       |
|    |                   |                     |        | 215-185-5   |       |
|    | inhalative        | Long term (chronic) | local  | 1           | mg/m³ |

### **DNEL value (consumer)**

|    | Dital value (concumer) |                     |             |           |  |
|----|------------------------|---------------------|-------------|-----------|--|
| No | Substance name         |                     | CAS / EC no |           |  |
|    | Route of exposure      | Exposure time       | Effect      | Value     |  |
| 1  | sodium hydroxide       |                     | 1310-73-2   |           |  |
|    |                        |                     |             | 215-185-5 |  |
|    | inhalative             | Long term (chronic) | local       | 1 mg/m³   |  |

### 8.2 Exposure controls

### Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

### Personal protective equipment

### Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Respirator B-P3

### Eye / face protection

Safety glasses with side protection shield (EN 166); Tightly fitting safety glasses (EN 166).

### Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material viton

Material thickness >= 0.4 mm

Trade name: KRONES colclean IC 1002

Product no.: 056

Current version: 1.0.3, issued: 07.08.2023 Replaced version: 1.0.2, issued: 08.04.2022 Region: GB

Breakthrough time 480 min Appropriate Material butyl rubber Material thickness 0.5 mm Breakthrough time 480 min Appropriate Material nitrile rubber Material thickness 0.35 mm Breakthrough time 480 min

Other

Value

Chemical-resistant work clothes.

### **Environmental exposure controls**

No data available.

## **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

| 1 Information on basic physical a          | and chemical properties      |  |
|--|------------------------------|--|
| State of aggregation liquid                |                              |  |
|  |                              |  |
| Form<br>liquid                             |                              |  |
|  |                              |  |
| Colour                                     |                              |  |
| colourless                                 |                              |  |
| Odour                                      |                              |  |
| odourless                                  |                              |  |
| pH value                                   |                              |  |
| Value                                      | 13                           |  |
| Boiling point / boiling range              |                              |  |
| No data available                          |                              |  |
| Melting point/freezing point               |                              |  |
| Value                                      | < 0 °C                       |  |
| Decomposition temperature                  |                              |  |
| No data available                          |                              |  |
| Flash point                                |                              |  |
| No data available                          |                              |  |
| Ignition temperature                       |                              |  |
| No data available                          |                              |  |
| Auto-ignition temperature                  |                              |  |
| Comments                                   | Product is not selfigniting. |  |
| Flammability                               |                              |  |
| No data available                          |                              |  |
| Lower explosion limit                      |                              |  |
| No data available                          |                              |  |
| Upper explosion limit No data available    |                              |  |
|  |                              |  |
| Vapour pressure No data available          |                              |  |
|  |                              |  |
| Relative vapour density  No data available |                              |  |
|  |                              |  |
| Relative density                           |                              |  |

1.4

Trade name: KRONES colclean IC 1002

Product no.: 056

Current version: 1.0.3, issued: 07.08.2023 Reglaced version: 1.0.2, issued: 08.04.2022 Region: GB

Density

No data available

Solubility in water

Comments Completely miscible

Solubility

No data available

Partition coefficient n-octanol/water (log value)

No data available

Kinematic viscosity

No data available

**Particle characteristics** 

No data available

### 9.2 Other information

Other information

No data available.

### SECTION 10: Stability and reactivity

### 10.1 Reactivity

Stable at ambient temperature.

### 10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

### 10.3 Possibility of hazardous reactions

Reactions with metals, with evolution of hydrogen. Exothermic reaction with: acids

### 10.4 Conditions to avoid

None, if handled according to intended use.

### 10.5 Incompatible materials

Oxidizing agents

### 10.6 Hazardous decomposition products

None, if handled according to intended use.

### **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

No data available

Acute dermal toxicity

No data available

Acute inhalational toxicity

No data available

Skin corrosion/irritation

No data available

Serious eye damage/irritation

No data available

| Res  | piratory or skin sensitisation |           |           |
|------|--------------------------------|-----------|-----------|
| No   | Substance name                 | CAS no.   | EC no.    |
| 1    | sodium hydroxide               | 1310-73-2 | 215-185-5 |
| Rout | te of exposure                 | Skin      |           |
| Spec | cies                           | Human     |           |
| Sou  | rce                            | ECHA      |           |

Trade name: KRONES colclean IC 1002

Product no.: 056

Current version: 1.0.3, issued: 07.08.2023 Replaced version: 1.0.2, issued: 08.04.2022 Region: GB

Evaluation non-sensitizing
Evaluation/classification Based on available data, the classification criteria are not met.

Germ cell mutagenicity

No data available

Reproduction toxicity

No data available

Carcinogenicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration hazard

No data available

### 11.2 Information on other hazards

### **Endocrine disrupting properties**

No data available.

Other information

No data available.

## **SECTION 12: Ecological information**

### 12.1 Toxicity

| Toxicity | to fish | (acute) |
|----------|---------|---------|
|----------|---------|---------|

No data available

### Toxicity to fish (chronic)

No data available

| Toxi    | city to Daphnia (acute) |                   |      |           |  |
|---------|-------------------------|-------------------|------|-----------|--|
| No      | Substance name          | CAS no.           |      | EC no.    |  |
| 1       | sodium hydroxide        | 1310-73-2         |      | 215-185-5 |  |
| EC5     | 0                       |                   | 40.4 | mg/l      |  |
| Dura    | ation of exposure       |                   | 48   | h         |  |
| Species |                         | Ceriodaphnia spec |      |           |  |
| Source  |                         | ECHA              |      |           |  |

### Toxicity to Daphnia (chronic)

No data available

## Toxicity to algae (acute)

No data available

### Toxicity to algae (chronic)

No data available

### **Bacteria toxicity**

No data available

### 12.2 Persistence and degradability

No data available.

### 12.3 Bioaccumulative potential

No data available.

### 12.4 Mobility in soil

No data available.

### 12.5 Results of PBT and vPvB assessment

Trade name: KRONES colclean IC 1002

Product no.: 056

Current version: 1.0.3, issued: 07.08.2023 Replaced version: 1.0.2, issued: 08.04.2022 Region: GB

No data available.

### 12.6 Endocrine disrupting properties

No data available.

### 12.7 Other adverse effects

No data available.

### 12.8 Other information

### Other information

Do not discharge product unmonitored into the environment.

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

### **Product**

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility.

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

### Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

## **SECTION 14: Transport information**

### 14.1 Transport ADR/RID/ADN

Class 8
Classification code C5
Packing group II
Hazard identification no. 80
UN number UN1824

Proper shipping name SODIUM HYDROXIDE SOLUTION

Tunnel restriction code E Label 8

### 14.2 Transport IMDG

Class 8
Packing group II
UN number UN1824

Proper shipping name SODIUM HYDROXIDE SOLUTION

EmS F-A, S-B Label 8

### 14.3 Transport ICAO-TI / IATA

Class 8
Packing group II
UN number UN1824

Proper shipping name Sodium hydroxide solution

Label 8

### 14.4 Other information

No data available.

### 14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

### 14.6 Special precautions for user

No data available.

### 14.7 Maritime transport in bulk according to IMO instruments

Not relevant

Trade name: KRONES colclean IC 1002

Product no.: 056

Current version: 1.0.3, issued: 07.08.2023 Reglaced version: 1.0.2, issued: 08.04.2022 Region: GB

### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

### Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

### REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

# Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII. No

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

 No
 Substance name
 CAS no.
 EC no.
 No

 1
 sodium hydroxide
 1310-73-2
 215-185-5
 75

### Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

### Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

### 15.2 Chemical safety assessment

No data available.

## **SECTION 16: Other information**

### Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

# Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H318 Causes serious eye damage. H319 Causes serious eye irritation.

### Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH. Prod-ID 760627