EU safety data sheet

Trade name: KRONES colclean IC 3001

Current version : 1.0.2, issued: 08.04.2022

Replaced version: 1.0.1, issued: 08.06.2021

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

KRONES colclean IC 3001

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture Detergent Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

KIC KRONES Internationale Cooperationsgesellschaft mbHBöhmerwaldstraße 593073Neutraubling

Telephone no.+49 9401 70-3020e-mailkic@kic-krones.com

Advice on Safety Data Sheet sdb_info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord) In case of transport incidents and other emergencies: +44 (0) 1235 239 670 (NCEC, National Chemical Emergency Centre)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Acute Tox. 3; H331 Eye Dam. 1; H318 Met. Corr. 1; H290 Skin Corr. 1A; H314

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



Signal word Danger

Hazardous component(s) to be indicated on label: nitric acid ...% [C > 70 %]

Current version : 1.0.2, issued: 08.04.2022

Replaced version: 1.0.1, issued: 08.06.2021

| Hazard statement(s) H290 H314 H331 | May be corrosive to metals. Causes severe skin burns and eye damage. Toxic if inhaled. |
|--|--|
| Hazard statements (EU) EUH071 | Corrosive to the respiratory tract. |
| Precautionary statement | (s) |
| P260 | Do not breathe mist/vapours/spray. |
| P264 | Wash hands thoroughly after handling. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. |
| P303+P361+P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P310 | Immediately call a POISON CENTER/doctor. |
| P403+P233 | Store in a well-ventilated place. Keep container tightly closed. |

2.3 Other hazards

No data available.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

| No | Substance name | | Additi | onal information | n | |
|----|--------------------------------|-------------------------------------|---------|------------------|-------|-----|
| | CAS / EC / Index / REACH no | Classification (EC) 1272/2008 (CLP) | Conce | entration | | % |
| 4 | - | 70.9/1 | | | (0) | |
| | nitric acid% [C > | /0 %] | pis. re | efer to footnote | (Z) | |
| | 7697-37-2 | Ox. Liq. 2; H272 | >= | 50.00 - < | 70.00 | wt% |
| | 231-714-2 | Met. Corr. 1; H290 | | | | |
| | 007-004-00-1 | Acute Tox. 3; H331 | | | | |
| | 01-2119487297-23 | Skin Corr. 1A; H314 | | | | |
| | | Eye Dam. 1; H318 | | | | |
| | | EUH071 | | | | |

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(2) According to the latest state of knowledge and applying the criteria set out in annex I to Regulation (EC) No 1272/2008, the aforementioned classification is required. This classification goes beyond the classification set out in table 3, Annex VI to Regulation (CE) No 1272/2008.

| No | Note | Specific concentration limits | M-factor (acute) | M-factor (chronic) |
|----|------|---|---------------------|-----------------------|
| 1 | В | Skin Irrit. 2; H315: C >= 1% Skin Corr. 1B; H314: C >= 5% Skin Corr. 1A; H314: C >= 20% Ox. Liq. 3; H272: C >= 65% Ox. Liq. 2; H272: C >= 99% | - | - |

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

| Acu | te toxicity estimate (ATE) values | | |
|-----|-----------------------------------|--------|------------|
| No | oral | dermal | inhalative |
| 1 | | | 2,66 mg/l |

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

Current version : 1.0.2, issued: 08.04.2022

After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. Call a doctor immediately.

After skin contact

When in contact with the skin, clean with soap and water. Call a doctor immediately.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

After ingestion

Rinse the mouth thoroughly with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms

burns

4.3 Indication of any immediate medical attention and special treatment needed Treat symptomatically

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media No data available.

Unsuitable extinguishing media High power water jet

5.2 Special hazards arising from the substance or mixture In the event of fire, the following can be released: Pyrolysis products; Toxic gases/vapours; Nitrogen oxides (NOx)

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Do not inhale explosion and/or combustion byproducts. Cool closed containers exposed to fire with water. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Ensure adequate ventilation. Remove persons to safety.

For emergency responders

Personal protective equipment (PPE) - see section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Current version : 1.0.2, issued: 08.04.2022

Replaced version: 1.0.1, issued: 08.06.2021

Region: GB

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances. Avoid eye, skin and clothing contact. Provide good ventilation at the work area (local exhaust ventilation, if necessary).

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing. Provide eye wash fountain in work area. Have emergency shower available.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place. Protect from heat and direct sunlight.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original. Provide acid-resistant floor.

Incompatible products

Substances to be avoided, see section 10. Do not store together with: Reducing agents; combustible materials; Metals; Alkalies

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

| No | Substance name | CAS no. | | EC no. | |
|----|---|-----------|-------|-----------|-----|
| 1 | nitric acid% [C > 70 %] | 7697-37-2 | | 231-714-2 | |
| | 2006/15/EC | | | | |
| | Nitric acid | | | | |
| | WEL short-term (15 min reference period) | 2.6 | mg/m³ | 1 | ppm |
| | List of approved workplace exposure limits (WELs) / | EH40 | | | |
| | Nitric acid | | | | |
| | WEL short-term (15 min reference period) | 2.6 | mg/m³ | 1 | ppm |

DNEL, DMEL and PNEC values

DNEL values (worker)

| No | Substance name | | | CAS / EC no | |
|----|-------------------------|---------------------|--------|-------------|-------|
| | Route of exposure | Exposure time | Effect | Value | |
| 1 | nitric acid% [C > 70 %] | | | 7697-37-2 | |
| | | | | 231-714-2 | |
| | inhalative | Long term (chronic) | local | 2.6 | mg/m³ |

DNEL value (consumer)

| No | Substance name | | | CAS / EC no | |
|----|-------------------------|---------------------|--------|-------------|-------|
| | Route of exposure | Exposure time | Effect | Value | |
| 1 | nitric acid% [C > 70 %] | | | 7697-37-2 | |
| | | | | 231-714-2 | |
| | inhalative | Long term (chronic) | local | 1.3 | mg/m³ |

8.2 Exposure controls

Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

Personal protective equipment

Respiratory protection

Current version : 1.0.2, issued: 08.04.2022

Replaced version: 1.0.1, issued: 08.06.2021

Region: GB

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified. Respirator ABEKP2

Eye / face protection

Safety glasses with side protection shield (EN 166)

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

| Appropriate Material | butyl rubber | | |
|----------------------|--------------|-----|-----|
| Material thickness | >= | 0.7 | mm |
| Breakthrough time | > | 480 | min |
| Appropriate Material | viton | | |
| Material thickness | >= | 0.7 | mm |
| Breakthrough time | > | 480 | min |
| Appropriate Material | chloroprene | | |
| Material thickness | >= | 0.5 | mm |
| Breakthrough time | > | 480 | min |
| Other | | | |

Other

Chemical-resistant work clothes.

Environmental exposure controls No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| State of aggregation | | | | |
|-------------------------------|------------|-------------------|----|--|
| liquid | | | | |
| Form/Colour | | | | |
| liquid | | | | |
| colourless | | | | |
| Odour | | | | |
| pungent | | | | |
| | | | | |
| pH value Value | | 1 | | |
| value | | | | |
| Boiling point / boiling range | | | | |
| Value | > | 100 | °C | |
| Melting point/freezing point | | | | |
| Value | < | 0 | °C | |
| Decomposition temperature | | | | |
| No data available | | | | |
| Flash point | | | | |
| No data available | | | | |
| Ignition temperature | | | | |
| No data available | | | | |
| Auto-ignition temperature | | | | |
| Comments | Product is | not selfigniting. | | |
| Flammability | | | | |
| No data available | | | | |
| | | | | |

Current version : 1.0.2, issued: 08.04.2022

Replaced version: 1.0.1, issued: 08.06.2021

Region: GB

| Lower explosion limit | |
|--|---------------------|
| No data available | |
| Upper explosion limit | |
| No data available | |
| Vapour pressure | |
| No data available | |
| Relative vapour density | |
| No data available | |
| Relative density | |
| No data available | |
| Density | |
| Value | 1.3 g/ml |
| Reference temperature | 20 °C |
| Solubility in water | |
| Comments | Completely miscible |
| Solubility | |
| No data available | |
| Partition coefficient n-octanol/water (log | |
| No data available | valuej |
| Viscosity | |
| No data available | |
| | |
| Particle characteristics No data available | |
| | |
| 2 Other information | |
| Other information | |
| No data available. | |

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable at ambient temperature.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

- **10.3 Possibility of hazardous reactions** Dangerous reactions are not to be expected when handling product according to its intended use.
- **10.4 Conditions to avoid** Heat, naked flames and other ignition sources. Protect from light.
- **10.5** Incompatible materials Reducing agents; Alkalies; Metals
- **10.6 Hazardous decomposition products** Nitrous oxides (NOx); Corrosive gases/vapours

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

| No data available | |
|-----------------------|--|
| | |
| Acute dermal toxicity | |
| No data available | |

Current version : 1.0.2, issued: 08.04.2022

Replaced version: 1.0.1, issued: 08.06.2021

Region: GB

| No | te inhalational toxicity Substance name | CA | AS no. | EC no. | |
|-------|---|----------|---------|-----------|---|
| 1 | nitric acid% [C > 70 %] | 76 | 97-37-2 | 231-714-2 | |
| LC5 | | > | 2.65 | mg/l | |
| Dura | ation of exposure | | 4 | h | |
| | e of aggregation | Vapour | | | |
| Spe | | rat | | | |
| Met | | OECD 403 | | | |
| Sou | rce | ECHA | | | |
| Skir | n corrosion/irritation | | | | |
| - | data available | | | | _ |
| Comi | | | | | |
| | ous eye damage/irritation | | | | |
| | | | | | |
| Res | piratory or skin sensitisation | | | | |
| No o | data available | | | | |
| Ger | m cell mutagenicity | | | | |
| No | data available | | | | |
| D | | | | | |
| | roduction toxicity | | | | |
| INO C | Jala avaliable | | | | |
| | cinogenicity | | | | |
| No o | data available | | | | |
| STC | T - single exposure | | | | |
| | data available | | | | |
| STO | T - repeated exposure | | | | |
| | data available | | | | |
| 140 0 | | | | | |
| | iration hazard | | | | |
| | data available | | | | |

Endocrine disrupting properties No data available.

Other information No data available.

SECTION 12: Ecological information

12.1 Toxicity

| Toxicity to fish (acute) |
|-------------------------------|
| No data available |
| Toxicity to fish (chronic) |
| No data available |
| Toxicity to Daphnia (acute) |
| No data available |
| Toxicity to Daphnia (chronic) |
| No data available |
| Toxicity to algae (acute) |
| No data available |
| Toxicity to algae (chronic) |
| No data available |
| Bacteria toxicity |
| No data available |

Current version : 1.0.2, issued: 08.04.2022

Replaced version: 1.0.1, issued: 08.06.2021

Region: GB

12.2 Persistence and degradability No data available.

- 12.3 Bioaccumulative potential No data available.
- 12.4 Mobility in soil No data available.
- 12.5 Results of PBT and vPvB assessment No data available.
- 12.6 Endocrine disrupting properties No data available.
- 12.7 Other adverse effects No data available.

12.8 Other information

Other information

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

| | Class Classification code Packing group Hazard identification no. UN number Proper shipping name Tunnel restriction code Label | 8 C1 II 80 UN2031 NITRIC ACID E 8 |
|------|---|--|
| 14.2 | Transport IMDG Class Packing group UN number Proper shipping name EmS Label | 8 II UN2031 NITRIC ACID F-A, S-B 8 |
| 14.3 | Transport ICAO-TI / IATA Class Packing group UN number Proper shipping name Label | 8 II UN2031 Nitric acid 8 |

14

14.4 Other information

Current version : 1.0.2, issued: 08.04.2022

Replaced version: 1.0.1, issued: 08.06.2021

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

- **14.6** Special precautions for user No data available.
- 14.7 Maritime transport in bulk according to IMO instruments Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

 Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

 The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII.
 No 3

 The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.
 No 3

 The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.
 No 3

 No
 Substance name
 CAS no
 EC no
 No

| ON | Substance name | CA3 110. | EC IIO. | NO |
|----|-------------------------|-----------|-----------|----|
| 1 | nitric acid% [C > 70 %] | 7697-37-2 | 231-714-2 | 75 |

 Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

 This product is subject to Part I of Annex I, risk category:
 H2

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

| H272 | May intensify fire; oxidiser. |
|------|-------------------------------|
| H318 | Causes serious eye damage. |

Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

| Current version : 1.0.2, issued: 08.04.2022 | Replaced version: 1.0.1, issued: 08.06.2021 | Region: GB |
|---|---|------------|
|---|---|------------|

В

Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH. Prod-ID 760633