EU safety data sheet

Trade name: KRONES colclean MC 1005

Current version : 3.0.0, issued: 18.12.2023

Replaced version: 2.1.1, issued: 07.08.2023

Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 **Product identifier**

Trade name

KRONES colclean MC 1005

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture Cleaning agent

Uses advised against No data available.

1.3 Details of the supplier of the safety data sheet

Address

 KIC KRONES Internationale Cooperationsgesellschaft mbH

 Böhmerwaldstraße 5

 93073
 Neutraubling

 Telephone no.
 +49 9401 70-3020

 e-mail
 kic@kic-krones.com

Advice on Safety Data Sheet sdb_info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord) In case of transport incidents and other emergencies: +44 (0) 1235 239 670 (NCEC, National Chemical Emergency Centre)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP) Eye Dam. 1; H318 Skin Corr. 1: H314

Classification information

Product is classified as "Corrosive" based on the extreme pH-value, see:

- Regulation 1272/2008 (CLP), Annex. I, number 3.2.2.2 / 3.2.3.1.2

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



Signal word Danger

Hazardous component(s) to be indicated on label: Alcohols, C9-11-iso-, C10-rich, ethoxylated

EU safety data sheet

Trade name: KRONES colclean MC 1005

Current version : 3.0.0, issued: 18.12.2023

Replaced version: 2.1.1, issued: 07.08.2023

Region: GB

Hazard statement(s) H314

Causes severe skin burns and eye damage.

Precautionary statement(s)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

2.3 Other hazards

No data available.

P305+P351+P338

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

	Hazardous ingredier				
No	Substance name		Addit	ional information	
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Conc	entration	%
	REACH no				
1	trisodium-nitrilotria	acetate			
	5064-31-3	Acute Tox. 4*; H302	<	5.00	wt%
	225-768-6	Carc. 2; H351			
	607-620-00-6	Eye Irrit. 2; H319			
	01-2119519239-36				
2	Alcohols, C9-11-isc	o-, C10-rich, ethoxylated			
	78330-20-8	Acute Tox. 4; H302	<	5.00	wt%
	-	Eye Dam. 1; H318			
	-				
	-				
3	2-(2-butoxyethoxy)	ethanol			
	112-34-5	Eye Irrit. 2; H319	<	5.00	wt%
	203-961-6				
	603-096-00-8				
	01-2119475104-44				
4	potassium hydroxi	de			
	1310-58-3	Met. Corr. 1; H290	<	2.50	wt%
	215-181-3	Acute Tox. 4; H302			
	019-002-00-8	Skin Corr. 1A; H314			
	01-2119487136-33	Eye Dam. 1; H318			

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(*,**,****) Detailed explanation pls. refer to CLP regulation No. 1272/2008, annex VI, 1.2

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	-	Carc. 2; H351: C >= 5%	-	-
4	-	Skin Irrit. 2; H315: C >= 0.5% Eye Irrit. 2; H319: C >= 0.5% Skin Corr. 1B; H314: C >= 2% Eye Dam. 1; H318: C >= 2% Skin Corr. 1A; H314: C >= 5% Eye Dam. 1; H318: C >= 5%	-	-

Acu	Acute toxicity estimate (ATE) values				
No	oral	dermal	inhalative		
1	1740 mg/kg bodyweight				
4	333 mg/kg bodyweight				
	eee mg/ng body noight				

SECTION 4: First aid measures

4.1 Description of first aid measures General information

Current version : 3.0.0, issued: 18.12.2023

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

After inhalation

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air. Do not use mouth-to-mouth or mouth-to-nose resuscitation. Call a doctor immediately.

After skin contact

Wash immediately with plenty of water for several minutes. Seek medical attention.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Get immediate ophthalmic treatment.

After ingestion

Rinse out mouth and give plenty of water to drink. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms burns

4.3 Indication of any immediate medical attention and special treatment needed Treat symptomatically

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

Unsuitable extinguishing media High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide and carbon dioxide; Nitrogen oxides (NOx)

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Do not inhale explosion and/or combustion byproducts. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Use personal protective clothing. Ensure adequate ventilation. Remove persons to safety.

For emergency responders

Personal protective equipment (PPE) - see section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Current version : 3.0.0, issued: 18.12.2023

Replaced version: 2.1.1, issued: 07.08.2023

Region: GB

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances. Provide good ventilation at the work area (local exhaust ventilation, if necessary).

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Use barrier skin cream. Remove contaminated clothing and shoes and launder thoroughly before reusing. Have emergency shower available. Provide eye wash fountain in work area.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original. Provide acid-resistant floor.

Incompatible products

Substances to be avoided, see section 10. Do not store together with: Metals; Alkalies; Reducing agents

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.		EC no.	
1	2-(2-butoxyethoxy)ethanol	112-34-5		203-961-6	
	2006/15/EC				
	2-(2-Butoxyethoxy)ethanol				
	WEL short-term (15 min reference period)	101.2	mg/m³	15	ppm
	WEL long-term (8-hr TWA reference period)	67.5	mg/m³	10	ppm
	List of approved workplace exposure limits (WELs) / I	EH40			
	2-(2-Butoxyethoxy)ethanol				
	WEL short-term (15 min reference period)	101.2	mg/m³	15	ppm
	WEL long-term (8-hr TWA reference period)	67.5	mg/m³	10	ppm
2	potassium hydroxide	1310-58-3		215-181-3	
	List of approved workplace exposure limits (WELs) / I	EH40			
	Potassium hydroxide (as Cyanide)				
	WEL short-term (15 min reference period)	5	mg/m³		
	WEL long-term (8-hr TWA reference period)	1	mg/m³		

DNEL, DMEL and PNEC values

DNEL values (worker)

No	Substance name			CAS / EC I	10
	Route of exposure	Exposure time	Effect	Value	
1	trisodium-nitrilotriacetate		5064-31-3		
				225-768-6	
	inhalative	Long term (chronic)	systemic	3.2	mg/m³
	inhalative	Short term (acut)	systemic	9.6	mg/m³
2	2-(2-butoxyethoxy)ethance			112-34-5	
				203-961-6	
	inhalative	Long term (chronic)	local	67.5	mg/m³
	inhalative	Short term (acut)	local	101.2	mg/m³
3	potassium hydroxide			1310-58-3	
				215-181-3	
	inhalative	Long term (chronic)	local	1	mg/m³

Current version : 3.0.0, issued: 18.12.2023

Replaced version: 2.1.1, issued: 07.08.2023

Region: GB

DNEL value (consumer)

No	Substance name			CAS / EC no	0
	Route of exposure	Exposure time	Effect	Value	
1	trisodium-nitrilotriacetate			5064-31-3 225-768-6	
	oral	Short term (acut)	systemic	0.9	mg/kg
	oral	Long term (chronic)	systemic	0.3	mg/kg
	inhalative	Short term (acut)	systemic	2.4	mg/cm²
	inhalative	Long term (chronic)	systemic	0.8	mg/cm²
2	2-(2-butoxyethoxy)ethance	l		112-34-5 203-961-6	
	oral	Long term (chronic)	systemic	6.25	mg/kg/day
3	potassium hydroxide			1310-58-3 215-181-3	
	inhalative	Long term (chronic)	local	1	mg/m³

|--|

No	Substance name		CAS / EC n	0
	ecological compartment	Туре	Value	
1	trisodium-nitrilotriacetate		5064-31-3 225-768-6	
	water	fresh water	0.93	mg/L
	water	marine water	0.093	mg/L
	sewage treatment plant	-	270	mg/L
2	2-(2-butoxyethoxy)ethanol		112-34-5 203-961-6	
	water	fresh water	1.1	mg/L
	water	fresh water sediment	4.4	mg/kg
	with reference to: dry weight			
	water	marine water	0.11	mg/L
	water	marine water sediment	0.44	mg/kg
	with reference to: dry weight		·	
	soil	-	0.32	mg/kg
	sewage treatment plant	-	200	mg/L
	secondary poisoning	-	56	mg/kg food

8.2 Exposure controls

Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified. combination filter Respiratory filter (part): A-P2

Eye / face protection

Safety glasses with side protection shield (EN 166); Tightly fitting safety glasses (EN 166).

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material	PVC		
Material thickness	>=	0.5	
Breakthrough time	>=	480	min
Appropriate Material	butyl rubber		

rrent version: 3.0.0, issued: 18.12	2023 Re	placed version: 2.	1.1, issued: 07.08.2023	Region: (
Material thickness Breakthrough time Appropriate Material	>= >= nitrile rubber	0.5 480	min	
Material thickness Breakthrough time	>= >=	0.5 480	min	
Other Acid-resistant protective o	lothing			
Environmental exposure No data available.	controls			
ECTION 9: Physical and 1 Information on basic p State of aggregation liquid Form		properties		
1 Information on basic p State of aggregation liquid Form liquid Colour		properties		
1 Information on basic p State of aggregation liquid Form liquid Colour yellowish		properties		
1 Information on basic p State of aggregation liquid Form liquid Colour		properties		
1 Information on basic p State of aggregation liquid Form liquid Colour yellowish Odour		properties		
1 Information on basic p State of aggregation liquid Form liquid Colour yellowish Odour characteristic		properties		
1 Information on basic p State of aggregation liquid Form liquid Colour yellowish Odour characteristic pH value				
1 Information on basic p State of aggregation liquid Form liquid Colour yellowish Odour characteristic pH value Value				

Decomposition temperature No data available

Flash point

No data available

Ignition temperature

No data available

Auto-ignition temperature

Comments	Product is not selfigniting.
Oxidising properties	
not oxidizing	
Flammability	
No data available	
Lower explosion limit	
No data available	

Upper explosion limit No data available

Vapour pressure

No data available

Relative vapour density No data available

Relative density Value

1.08

Current version : 3.0.0, issued: 18.12.2023

Density		
No data available		
Solubility in water		
Comments	Completely miscible	
Solubility		
No data available		
Partition coefficient n-octanol/w	ater (log value)	
No data available		
Kinematic viscosity		
No data available		
Particle characteristics		
No data available		

Replaced version: 2.1.1, issued: 07.08.2023

Region: GB

9.2 Other information

Other information No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

Dangerous reactions are not expected if the product is handled according to its intended use.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

10.4 Conditions to avoid

None, if handled according to intended use.

10.5 Incompatible materials Metals; Acids

. . . .

10.6 Hazardous decomposition products None, if handled according to intended use.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity (result of the ATE calculation for the mixture)			
No	Product Name		
1	KRONES colclean MC 1005		
Comments		The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE oral > 2000 mg/kg).	

Acu	Acute oral toxicity				
No	Substance name		CAS no.		EC no.
1	trisodium-nitrilotriacetate		5064-31-3		225-768-6
LD5	0			1740	mg/kg bodyweight
Species Method Source		rat OECD 401 ECHA			
2	potassium hydroxide	ECHA	1310-58-3		215-181-3
LD5	0			333	mg/kg bodyweight
Species		rat			

rent v	version : 3.0.0, issued: 18.12.2023	Replaced version: 2.1.1, issued	d: 07.08.2023 Region
Meth		OECD 425	
Sour	rce	ECHA	
	te dermal toxicity		
No d	lata available		
	te inhalational toxicity		
	Substance name	CAS no.	EC no.
1 LC5	trisodium-nitrilotriacetate	5064-31-3	225-768-6 mg/l
	ation of exposure	4	h
	e of aggregation	Dust	
Spec Sour		rat	
		ECHA	
	corrosion/irritation		
	Product Name KRONES colclean MC 1005		
	ments	pH >= 11,5	
-	luation	corrosive	
Seri	ous eye damage/irritation		
	Product Name		
1	KRONES colclean MC 1005		
-	nments	pH >= 11,5	
Eval	luation	corrosive	
	piratory or skin sensitisation		
	Substance name	CAS no.	EC no.
	trisodium-nitrilotriacetate te of exposure	5064-31-3 Skin	225-768-6
Spec		guinea pig	
Meth		OECD 406	
Sour		ECHA	
	luation	non-sensitizing 1310-58-3	215-181-3
	potassium hydroxide te of exposure	<u>1310-58-3</u> Skin	215-181-3
Spec		guinea pig	
Sour		ECHA	
	luation	non-sensitizing	
Gerr	m cell mutagenicity		
	Substance name	CAS no.	EC no.
	trisodium-nitrilotriacetate	5064-31-3	225-768-6
Sour		ECHA	
	luation/classification	Based on available data, the clas	
	potassium hydroxide	1310-58-3	215-181-3
Туре	e of examination	Ames-Test	m
Type Spec	e of examination cies	Ames-Test Bacteria - Salmonella typhimuriu	m
Type Spec Sour	e of examination cies rce	Ames-Test Bacteria - Salmonella typhimuriu ECHA	
Type Spec Sour Eval	e of examination cies rce luation/classification	Ames-Test Bacteria - Salmonella typhimuriu	
Type Spec Sour Eval	e of examination cies rce luation/classification roduction toxicity	Ames-Test Bacteria - Salmonella typhimuriu ECHA Based on available data, the clas	ssification criteria are not met.
Type Spec Sour Eval	e of examination cies rce luation/classification	Ames-Test Bacteria - Salmonella typhimuriu ECHA	
Type Spec Sour Eval Rep No	e of examination cies rce luation/classification roduction toxicity Substance name trisodium-nitrilotriacetate	Ames-Test Bacteria - Salmonella typhimuriu ECHA Based on available data, the class CAS no. 5064-31-3 rat	esification criteria are not met. EC no.
Type Spec Sour Eval Rep No 1 Spec Meth	e of examination cies rce luation/classification roduction toxicity Substance name trisodium-nitrilotriacetate cies	Ames-Test Bacteria - Salmonella typhimuriu ECHA Based on available data, the class CAS no. 5064-31-3 rat OECD 416	esification criteria are not met. EC no.
Type Spec Sour Eval Rep No 1 Spec Meth Sour	e of examination cies rce luation/classification roduction toxicity Substance name trisodium-nitrilotriacetate cies nod rce	Ames-Test Bacteria - Salmonella typhimuriu ECHA Based on available data, the class CAS no. 5064-31-3 rat OECD 416 ECHA	EC no. 225-768-6
Type Spec Sour Eval Rep No 1 Spec Meth Sour	e of examination cies rce luation/classification roduction toxicity Substance name trisodium-nitrilotriacetate cies	Ames-Test Bacteria - Salmonella typhimuriu ECHA Based on available data, the class CAS no. 5064-31-3 rat OECD 416	EC no. 225-768-6
Type Spec Sour Eval Rep No 1 Spec Meth Sour Eval	e of examination cies rce luation/classification roduction toxicity Substance name trisodium-nitrilotriacetate cies nod rce	Ames-Test Bacteria - Salmonella typhimuriu ECHA Based on available data, the class CAS no. 5064-31-3 rat OECD 416 ECHA	EC no. 225-768-6

Current version : 3.0.0, issued: 18.12.2023

Replaced version: 2.1.1, issued: 07.08.2023

Region: GB

STOT - repeated exposure		
No Substance name	CAS no.	EC no.
1 trisodium-nitrilotriacet	ate 5064-31-3	225-768-6
Route of exposure	dermal	
Source	ECHA	
Evaluation/classification	Based on available data, the clas	ssification criteria are not met.
Route of exposure	inhalational	
Source	ECHA	
Evaluation/classification	Based on available data, the clas	ssification criteria are not met.
Route of exposure	oral	
Source	ECHA	
Evaluation/classification	Based on available data, the class	ssification criteria are not met.

Aspiration hazard No data available

11.2 Information on other hazards

Endocrine disrupting properties No data available.

Other information No data available.

SECTION 12: Ecological information

12.1 Toxicity

No	icity to fish (acute) Substance name	CAS no.	EC no.
1	trisodium-nitrilotriacetate	5064-31-3	225-768-6
_C5	0	114	l mg/l
Dura	ation of exposure	96	h
	cies	Pimephales promelas	
Sou	rce	ECHA	
2	potassium hydroxide	1310-58-3	215-181-3
_C5	0	80	mg/l
Dura	ation of exposure	96	h
Зре	cies	Gambusia affinis	
Sou		ECHA	
Eva	luation/classification	Based on available data, the class	sification criteria are not met.
	icity to fish (chronic)	010	
	Substance name	CAS no.	EC no.
1	trisodium-nitrilotriacetate	5064-31-3	225-768-6
NOE	-	> 54	mg/l
	ation of exposure	224	1 day(s)
	cies	Pimephales promelas	
Sou	rce	ECHA	
Tovi	icity to Daphnia (acute)		
	data available		
10 0			
	icity to Daphnia (chronic)		
No	Substance name	CAS no.	EC no.
1	trisodium-nitrilotriacetate	5064-31-3	225-768-6
NOE	EC	9.3	mg/l
Dura	ation of exposure	147	
	cies	Daphnia magna	,
Sou		ECHA	
		· · · · · · · · · · · · · · · · · · ·	
Гох	icity to algae (acute) Substance name	CAS no.	EC no.
No			

Current version : 3.0.0, issued: 18.12.2023

Replaced version: 2.1.1, issued: 07.08.2023

Region: GB

1 trisodium-nitrilotriacetate	5064	-31-3	225-768-6	
ErC50	>	91.5	mg/l	
Duration of exposure		72	h	
Species	Desmodesmus sub	spicatus		
Method	OECD 201			
Source	ECHA			
2 2-(2-butoxyethoxy)ethanol	112-3	4-5	203-961-6	
EC50	>	100	mg/l	
Duration of exposure		72	h	
Species	Desmodesmus sub	spicatus		
Source	ECHA			
Toxicity to algae (chronic)				
No Substance name	CAS	no.	EC no.	
1 trisodium-nitrilotriacetate	5064		225-768-6	
NOEC		1.43	mg/l	
Duration of exposure		72	h	
Species	Desmodesmus sub	onioatua		

OECD 201 ECHA

Bacteria toxicity

Method

Source

No data available

12.2 Persistence and degradability

Biodegradability					
No	Substance name	CAS no.		EC no.	
1	trisodium-nitrilotriacetate	5064-31-3		225-768-6	
Valu	e		100	%	
Dura	ation		14	d	
Meth	nod	OECD 301 E			
Source		ECHA			
Evaluation		readily biodegradable			

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil No data available.

io dala avaliable

12.5 Results of PBT and vPvB assessment No data available.

12.6 Endocrine disrupting properties No data available.

12.7 Other adverse effects No data available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

Current version : 3.0.0, issued: 18.12.2023

Replaced version: 2.1.1, issued: 07.08.2023

Region: GB

14.1	Transport ADR/RID/ADN Class Classification code Packing group Hazard identification no. UN number Proper shipping name Technical name Tunnel restriction code Label	8 C5 II 80 UN3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. potassium hydroxide E 8
14.2	Transport IMDG Class Packing group UN number Proper shipping name Technical name EmS Label	8 II UN3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. potassium hydroxide F-A, S-B 8
14.3	Transport ICAO-TI / IATA Class Packing group UN number Proper shipping name Technical name Label	8 II UN3266 Corrosive liquid, basic, inorganic, n.o.s. potassium hydroxide 8
14.4	Other information No data available.	
14.5		ards, if relevant, please see 14.1 - 14.3.
14.6	Special precautions for user No data available.	
14.7	Maritime transport in bulk act Not relevant	cording to IMO instruments
SEC	TION 15: Regulatory inform	ation
		ntal regulations/legislation specific for the substance or mixture
10.1	EU regulations	
Re	equiation (EC) No 1907/2006 (REA	CH) Annex XIV (List of substances subject to authorisation)
Ac su	cording to the data available and/or	specifications supplied by upstream suppliers, this product does not contain any requiring authorisation as listed on Annex XIV of the REACH regulation (EC)
		s of very high concern (SVHC) for authorisation
su	bstances that are considered substa	ormation provided by preliminary suppliers, the product does not contain neces meeting the criteria for inclusion in annex XIV (List of Substances Subject a 57 and article 59 of REACH (EC) 1907/2006.
		CH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON

THE	THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES				
The	The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII. No 3				
The	The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006				
anne	ex XVII.				
No	Substance name	CAS no.	EC no.	No	
1	2-(2-butoxyethoxy)ethanol	112-34-5	203-961-6	55.75	

 2
 potassium hydroxide
 1310-58-3
 215-181-3
 75

urrent	version : 3.0.0, issued: 18.12.2023	Replaced version: 2.1.1, iss	ued: 07.08.2023	Region: GE
3	sodium hydroxide	1310-73-2	215-185-5	75
4	trisodium-nitrilotriacetate	5064-31-3	225-768-6	75
	ective 2012/18/EU on the control of ma		angerous substance	ès
This product is not subject to Part 1 or 2 of Annex I.				
Other regulations				
Adhere to the national sanitary and occupational safety regulations when using this product.				

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case. Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164. National Threshold Limit Values of the corresponding countries as amended in each case. Transport regulations according to ADR, RID, IMDG, IATA as amended in each case. The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H351	Suspected of causing cancer.

Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH. Prod-ID 760643