Trade name: KRONES hydrocare RO 2000

Current version: 2.0.0, issued: 02.01.2024 Reglaced version: 1.0.1, issued: 08.04.2022 Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

KRONES hydrocare RO 2000

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

pH value correction

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet

Address

KIC KRONES Internationale Cooperationsgesellschaft mbH

Böhmerwaldstraße 5 93073 Neutraubling

Telephone no. +49 9401 70-3020 e-mail kic@kic-krones.com

Advice on Safety Data Sheet

sdb info@umco.de

1.4 Emergency telephone number

For medical advice (in German and English):

+49 (0)551 192 40 (Giftinformationszentrum Nord)

In case of transport incidents and other emergencies:

+44 (0) 1235 239 670 (NCEC, National Chemical Emergency Centre)

SECTION 2: Hazards identification

.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 (CLP)

Eye Dam. 1; H318 Met. Corr. 1; H290 Skin Corr. 1A; H314

Classification information

Classification and labelling are based on toxicological studies performed on the product (mixture).

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms



Signal word

Danger

Hazardous component(s) to be indicated on label:

sulphuric acid

Hazard statement(s)

Trade name: KRONES hydrocare RO 2000

Current version: 2.0.0, issued: 02.01.2024 Reglaced version: 1.0.1, issued: 08.04.2022 Region: GB

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary statement(s)

P260 Do not breathe mist/vapours/spray. P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

[or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

2.3 Other hazards

PBT assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.

vPvB assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable. The product is not a substance.

3.2 Mixtures

Hazardous ingredients

	· · · · · · · · · · · · · · · · · · ·						
No	Substance name			Additional information			
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Concentration		%		
	REACH no						
1	sulphuric acid						
	7664-93-9	Skin Corr. 1A; H314	>=	50.00	- <	70.00	wt%
	231-639-5	Eye Dam. 1; H318					
	016-020-00-8						
	01-2119458838-20						

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	В	Eye Irrit. 2; H319: C >= 5% Skin Irrit. 2; H315: C >= 5% Eye Dam. 1; H318: C >= 15% Skin Corr. 1A; H314: C >= 15%	-	-

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. Adhere to personal protective measures when giving first aid. In all cases of doubt, or when sickness symptoms persist, seek medical attention.

After inhalation

Ensure supply of fresh air. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions

After skin contact

Change contaminated, saturated clothing. In case of contact with skin wash off with plenty of water. Call a doctor immediately.

Trade name: KRONES hydrocare RO 2000

Current version: 2.0.0, issued: 02.01.2024 Replaced version: 1.0.1, issued: 08.04.2022 Region: GB

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Call a doctor immediately.

After ingestion

Rinse the mouth thoroughly with water. Do not induce vomiting. Call a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Extinguishing measures to suit surroundings.

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

Has a corrosive effect on metals. In the event of fire, the following can be released: Sulphur dioxide (SO2); Corrosive gases/vapours

5.3 Advice for firefighters

Do not inhale explosion and/or combustion byproducts. Cool closed containers exposed to fire with water. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations. In case of combustion use a suitable breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Ensure adequate ventilation. Remove persons to safety. Avoid contact with skin, eyes and clothing. Do not inhale vapours/aerosols.

For emergency responders

Personal protective equipment (PPE) - see section 8. Breathing apparatus must be worn when exposed to the effects of vapors, dusts, aerosols and gases.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. Suppress gases/vapours/mists with water spray jet.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Ventilate the affected area.

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances. Avoid eye, skin and clothing contact. Provide good ventilation at the work area (local exhaust ventilation, if necessary). Do not add water.

General protective and hygiene measures

Trade name: KRONES hydrocare RO 2000

Current version: 2.0.0, issued: 02.01,2024 Replaced version: 1.0.1, issued: 08.04,2022 Region: GB

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale vapours. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing. Provide eye wash fountain in work area. Have emergency shower available.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place. Protect from heat and direct sunlight.

Requirements for storage rooms and vessels

Store in a corrosion-resistant container with a resistant inner liner. Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original. Provide acid-resistant floor.

Incompatible products

Substances to be avoided, see section 10.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.	EC no.
1	sulphuric acid	7664-93-9	231-639-5
	2009/161/EU		
	sulphuric acid (mist)		
	Mist		
	WEL long-term (8-hr TWA reference period)	0.05 mg/i	m³
	List of approved workplace exposure limits (WELs) / E	H40	
	Sulphuric acid mist		
	WEL long-term (8-hr TWA reference period)	0.05 mg/i	m³
	Comments	The mist is defined	I as the thoracic fraction

DNEL, DMEL and PNEC values

DNEL values (worker)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	sulphuric acid			7664-93-9	
	•			231-639-5	
	inhalative	Long term (chronic)	local	0.05	mg/m³
	inhalative	Short term (acut)	local	0.1	mg/m³

8.2 Exposure controls

Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified. Filter device (EN 147).

Respirator B-P2

Eye / face protection

Safety glasses (EN 166)

Hand protection

Trade name: KRONES hydrocare RO 2000

Current version: 2.0.0, issued: 02.01.2024 Replaced version: 1.0.1, issued: 08.04.2022 Region: GB

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material IIR: butyl rubber, isobutene-isoprene rubber Material thickness 0.6 mm Breakthrough time 480 min Appropriate Material chloroprene Material thickness 0.6 >= mm Breakthrough time 480 min Appropriate Material **NBR** Material thickness 0.35 >= mm Breakthrough time 480 min

Other

Chemical-resistant work clothes.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Prevent penetration into the sewage system or into surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

· ·	imornation on basic physical and chemical properties				
State of aggregation					
liquid					
_					
Form					
liquid					
Colour					
colourless					
Odour					
odourless					
pH value					
Value	1.0				

Boiling point / boiling range

No data available

Melting point/freezing point

No data available

Decomposition temperature

No data available

Flash point

No data available

Ignition temperature

No data available

Oxidising properties

The product does not have oxidizing properties.

Explosive properties

The product does not have explosive properties.

Flammability

No data available

Lower explosion limit

No data available

Trade name: KRONES hydrocare RO 2000

Current version: 2.0.0, issued: 02.01.2024 Replaced version: 1.0.1, issued: 08.04.2022 Region: GB

Upper explosion limit

No data available

Vapour pressure

No data available

Relative vapour density

No data available

Relative density

No data available

Density

Value 1.1 - 1.4 g/cm³
Reference temperature 20 °C

Solubility in water

Comments Completely miscible

Solubility

No data available

Partition coefficient n-octanol/water (log value)

No data available

Kinematic viscosity

No data available

Particle characteristics

No data available

9.2 Other information

Other information

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable at ambient temperature. Can have a corrosive effect on metals.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Reacts with water, giving off excessive pressure or heat.

10.4 Conditions to avoid

Heat, naked flames and other ignition sources. Protect from light.

10.5 Incompatible materials

hypochlorites; Bases; Reducing agents

10.6 Hazardous decomposition products

Contact with metals in an acidic/alkaline environment results in hydrogen formation. Sulphurous oxides (SOx)

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acu	Acute oral toxicity					
No	Substance name		CAS no.		EC no.	
1	sulphuric acid		7664-93-9		231-639-5	
LD5	0			2140	mg/kg bodyweight	
Spec	cies	rat				
Meth	nod	OECD 401				
Soul	rce	ECHA				

Trade name: KRONES hydrocare RO 2000

Current version: 2.0.0, issued: 02.01.2024 Reglaced version: 1.0.1, issued: 08.04.2022 Region: GB

Acute dermal toxicity

No data available

Acute inhalational toxicity

No data available

Skin corrosion/irritation

No data available

Serious eye damage/irritation

No data available

Germ cell mutagenicity

No Product Name

1 KRONES hydrocare RO 2000

not met.

Source supplier
Evaluation/classification On the basis of the available information, the classification criteria are not met.

Reproduction toxicity No Product Name 1 KRONES hydrocare RO 2000 Source Supplier On the basis of the available information, the classification criteria are not met.

Carcino	Carcinogenicity					
No Pr	oduct Name					
1 K	RONES hydrocare RO 2000					
Source		supplier				
Evaluat	ion/classification	On the basis of the available information, the classification criteria are				
		I not met.				

STOT - single exposure

No data available

STO	T - repeated exposure				
No	Substance name	CAS r	10.	EC no.	
1	sulphuric acid	7664-9	93-9	231-639-5	
Rout	e of exposure	inhalational			
LOA	EC		0.3	mg/m³	
Dura	tion of exposure		28	day(s)	
Spec	cies	rat			
Meth	nod	OECD 412			
Sour	ce	ECHA			
Eval	Evaluation/classification Based on available data, the classification criteria are not met.				

Aspiration hazard

On the basis of the information available, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

No data available.

Other information

No data available.

Trade name: KRONES hydrocare RO 2000

Current version: 2.0.0, issued: 02.01.2024 Region: 1.0.1, issued: 08.04.2022 Region: GB

SECTION 12: Ecological information

12.1 Toxicity

Toxi	Toxicity to fish (acute)					
No	Substance name	CAS no).	EC no.		
1	sulphuric acid	7664-93	3-9	231-639-5		
LC5	0	16	- 28	mg/l		
Duration of exposure			96	h		
Species		Lepomis macrochirus				
Soul	rce	ECHA				

Toxi	city to fish (chronic)			
No	Substance name	CAS no.		EC no.
1	sulphuric acid	7664-93-9		231-639-5
NOE	EC		0.025	mg/l
Dura	ation of exposure		65	day(s)
Spec	cies	Jordanella floridae		
Sour	rce	ECHA		

Toxi	icity to Daphnia (acute)				
No	Substance name	CAS no.		EC no.	
1	sulphuric acid	7664-93-9		231-639-5	
EC5	50	>	100	mg/l	
Dura	ation of exposure		48	h	
Spe	cies	Daphnia magna			
Meth	nod	OECD 202			
Soul	rce	ECHA			

Toxi	Toxicity to Daphnia (chronic)					
No	Substance name		CAS no.		EC no.	
1	sulphuric acid		7664-93-9		231-639-5	
NOE	EC			0.15	mg/l	
Dura	ation of exposure			35	day(s)	
Spe	cies	T. dissimilis				
Soul	rce	ECHA				

Toxicity to algae (acute)						
No	Substance name	CA	AS no.	EC no.		
1	sulphuric acid	76	64-93-9	231-639-5		
EC50		>	100	mg/l		
Duration of exposure			72	h		
Species		Desmodesmus s	ubspicatus			
Method		OECD 201				
Source		ECHA				

Toxicity to algae (chronic)	
No data available	

Bacteria toxicity	
No data available	

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment		
PBT assessment	According to the information provided in the supply chain, the mixture	
	does not contain > 0.1% of a substance that is considered to be PBT.	

Trade name: KRONES hydrocare RO 2000

Current version: 2.0.0, issued: 02.01.2024 Reglaced version: 1.0.1, issued: 08.04.2022 Region: GB

vPvB assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be	
	vPvB.	

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

Class 8
Classification code C1
Packing group II
Hazard identification no. 80
UN number UN2796

Proper shipping name SULPHURIC ACID

Tunnel restriction code E Label 8

14.2 Transport IMDG

Class 8
Packing group II
UN number UN2796

Proper shipping name SULPHURIC ACID

EmS F-A, S-B Label 8

14.3 Transport ICAO-TI / IATA

Class 8
Packing group II
UN number UN2796
Proper shipping name Sulphuric acid

Label 8

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information

Trade name: KRONES hydrocare RO 2000

Current version: 2.0.0. issued: 02.01.2024 Replaced version: 1.0.1. issued: 08.04.2022 Region: GB

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture **EU regulations**

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006

annex XVII. No Substance name CAS no. EC no. No 7664-93-9 sulphuric acid 231-639-5 75

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances This product is not subject to Part 1 or 2 of Annex I.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H318 Causes serious eye damage.

Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH. Prod-ID 782061

Current version: 2.0.0, issued: 02.01.2024

Trade name: KRONES hydrocare RO 2000	

Replaced version: 1.0.1, issued: 08.04.2022

Region: GB